

**Brian Burton #4103**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 01/21/2014

Expiration Date 12/31/2017




Nita J Bolz, Scientific Director: *Nita J Bolz*

**Doyle Warren #3577**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 01/21/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Rhonda Street #3795**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 01/21/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Joel Breiner #4423**

Is a Certified Breath Test Operator

pursuant to 13 AAC 63.010

Effective Date                      01/21/2014

Expiration Date                      12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Ken Bushue #5982**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 01/21/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director:

A handwritten signature in black ink, appearing to read "Nita J Bolz", written over the printed name.

**Shawn Davies #6929**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 01/06/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Chris Simmons #5716**

Is a Certified Breath Test Operator

pursuant to 13 AAC 63.010

Effective Date                      01/06/2014

Expiration Date                      12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Joseph Ruble #7752**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                    01/06/2014

Expiration Date                12/31/2017



Nita J Bolz, Scientific Director:

A handwritten signature in black ink, appearing to read "Nita J Bolz", written over the printed name.



**Robin Nave #5984**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 01/06/2014

Expiration Date 12/31/2017




Nita J Bolz, Scientific Director: *Nita J Bolz*

**Seth McMillan #5867**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 01/21/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Noel Senoran #4689**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      01/21/2014

Expiration Date                      12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Ben Yoon #5601**

Is a Certified Breath Test Operator

pursuant to 13 AAC 63.010

Effective Date                    01/21/2014

Expiration Date                    12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**John Goetz #4938**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                    01/21/2014

Expiration Date                 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Douglas Fifer #3891**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 01/21/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Scott Nissen #3898**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                    01/21/2014

Expiration Date                 12/31/2017



Nita J Bolz, Scientific Director:

A handwritten signature in cursive script, appearing to read "Nita J Bolz".

**Luke Bowe #6925**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 01/24/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director:

A handwritten signature in black ink, appearing to read "Nita J Bolz".



**Jean Mills #4439**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 02/05/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director:


A handwritten signature in cursive script, appearing to read "Nita J Bolz".

**Nicholas Degnan #7583**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 02/10/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Joshua Palugod #8682**

Is a Certified Breath Test Operator

pursuant to 13 AAC 63.010

Effective Date 02/10/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Adam Weinheimer #8681**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 02/10/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Amanda Covington #8680**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      02/10/2014

Expiration Date                    12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Rosendo Perez #8679**

Is a Certified Breath Test Operator

pursuant to 13 AAC 63.010

Effective Date 02/10/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Mitchel Veenstra #8678**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 02/10/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Elizabeth Slagle #8677**

Is a Certified Breath Test Operator

pursuant to 13 AAC 63.010

Effective Date                      02/10/2014

Expiration Date                      12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*



**Aaron Richwine #8676**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      02/10/2014

Expiration Date                    12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Matthew J. Hall #8675**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 02/10/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director:

A handwritten signature in cursive script, appearing to read "Nita J Bolz".

**Mischa Carlson #8669**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 02/10/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Bonnie Charles #8670**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 02/10/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Jeremiah Fritsche #8671**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 02/10/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Heidi Hicks #8672**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      02/10/2014

Expiration Date                    12/31/2017




Nita J Bolz, Scientific Director: *Nita J Bolz*

**Joseph Vickrey #7725**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 02/10/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director:


A handwritten signature in black ink, appearing to read "Nita J Bolz".

**Justin Hernandez #8673**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      02/10/2014

Expiration Date                    12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*



**Jacob Thelen #8674**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      02/10/2014

Expiration Date                      12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*


**Julnudda Jackson #6939**

Is a Certified Breath Test Operator

pursuant to 13 AAC 63.010

Effective Date 02/11/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Barry Hetlet #6938**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 02/11/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Brian Wilson #6944**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 02/11/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Jason Penman #3574**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 02/10/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Gerard Asselin #4101**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      03/19/2014

Expiration Date                      12/31/2017




Nita J Bolz, Scientific Director: *Nita J Bolz*

**Nelson Price #6000**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      03/19/2014

Expiration Date                    12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Frank Stanfield #4097**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      03/19/2014

Expiration Date                    12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*



**Kimberly Semeniuk #3949**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      03/19/2014

Expiration Date                    12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Doug Chinn #3552**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 03/19/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Mark Hoeft #2535**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      03/19/2014

Expiration Date                      12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Alan L Skaggs #5998**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      04/09/2014

Expiration Date                    12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**John Long #7176**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 04/05/2014

Expiration Date 12/31/2017




Nita J Bolz, Scientific Director: *Nita J Bolz*

**Chris Alexander #6923**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 04/11/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Cole Grigg #5269**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 04/11/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Matthew Barth #7167**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 04/11/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*



**Christopher A. Nelson #4433**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 06/25/2014

Expiration Date 12/31/2017



rita J Bolz, Scientific Director: *Rita J Bolz*

**David A. Aldridge #6218**

Is a Certified Breath Test Operator

pursuant to 13 AAC 63.010

Effective Date                      06/25/2014

Expiration Date                      12/31/2017



ta J Bolz, Scientific Director: *Ante Bolz*

**Jill M. Martin #3561**

Is a Certified Breath Test Operator

pursuant to 13 AAC 63.010

Effective Date 06/25/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Bianca Cross #4193**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      06/25/2014

Expiration Date                      12/31/2017




Nita J Bolz, Scientific Director: *Nita J Bolz*

**James L Cross #3953**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      06/25/2014

Expiration Date                      12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Robert J. Wurst #5126**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 06/25/2014

Expiration Date 12/31/2017




Nita J Bolz, Scientific Director: *Nita J Bolz*

**Derek S. Davison #5563**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 07/06/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Sean A. Keating #6226**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      07/06/2014

Expiration Date                    12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*



**Cory A. Crane #7170**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 07/10/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Mark Wells #3680**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      06/24/2014

Expiration Date                      12/31/2017



a J Bolz, Scientific Director: *Ante J Bolz*

**Steven Childers #7169**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      06/24/2014

Expiration Date                    12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Daniel Henegar #4110**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      06/25/2014

Expiration Date                      12/31/2017



ta J Bolz, Scientific Director: *Ante Bolz*

**Robert Lund #4177**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 06/24/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Bradley Clark #5711**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      06/24/2014

Expiration Date                      12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Michael S. Farr #6933**

Is a Certified Breath Test Operator

pursuant to 13 AAC 63.010

Effective Date 06/22/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Kelly Huston #5565**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 06/22/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director:

A handwritten signature in black ink, appearing to read "Nita J Bolz".



**Bradley J. Breager #7168**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      07/10/2014

Expiration Date                      12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Jeffrey Martin #2538**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 09/11/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director:

A handwritten signature in black ink that reads "Nita J Bolz". The signature is written in a cursive style with a prominent initial "N".

**Michael E. Wisel #5327**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                    09/11/2014

Expiration Date                 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Gary J. Beagley #4422**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                    09/09/2014

Expiration Date                12/31/2017



Nita J Bolz, Scientific Director:

A handwritten signature in black ink, appearing to read "Nita J Bolz", written over the printed name.

**Terry J. Symonds #3307**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                    09/09/2014

Expiration Date                12/31/2017



Nita J Bolz, Scientific Director:

A handwritten signature in black ink, appearing to read "Nita J Bolz", written over the printed name.

**Brendan Lee #6227**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 09/09/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Brian Fuchs #6934**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                    09/20/2014

Expiration Date                 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Douglas S. Lofthouse #2721**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 08/22/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*



**Ruth I. Adolf #6922**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                    08/22/2014

Expiration Date                12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Michael S. Jones #4940**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 08/22/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Michael J. Lofton #6229**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                    09/01/2014

Expiration Date                12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Arthur Anderson #3370**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      09/01/2014

Expiration Date                    12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Jeffrey R. Whitworth #6233**

Is a Certified Breath Test Operator

pursuant to 13 AAC 63.010

Effective Date                      09/06/2014

Expiration Date                      12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Gina Burington #3296**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date                      09/20/2014

Expiration Date                    12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*

**Sheila L. Bender #5316**

Is a Certified Breath Test Operator  
pursuant to 13 AAC 63.010

Effective Date 09/11/2014

Expiration Date 12/31/2017



Nita J Bolz, Scientific Director: *Nita J Bolz*