TABLE OF CONTENTS

3	CHAPTER 21	.10: SIGNS	1
4		Purpose	
5		Application of This Section	
6		Relationship of This Section to State Law	
7		Computations, Rules of Measurement, and Definitions	
8	21.10.040	A. Determining Sign Area or Dimension of Signs	
9		B. Determining Building Frontage and Building Unit	
10		C. Determining Public Street Frontage	6
11		D. Determining Sign Setbacks	
12	21.10.050	Signs In Residential Districts (R-1, R-2, R-3, R-4, R-5, R-6, R-9, R-10, RMX)	
13	211101000	A. Basic Regulations for Signs in the Residential Districts (R-1, R-2, R-3, R-4, R-5,	
14		R-9, R-10, RMX)	
15		B. Supplemental Standards for All Freestanding Signs	6
16		C. Instructional Signs	
17		D. Temporary Signs	
18	21.10.060	Signs in the Public Lands and Institutions (PLI) District and the Watershed (W))
19		District	g
20		A. Basic Standards for Building Signs	g
21		B. Basic Standards for Permanent Freestanding Signs	11
22		C. Supplemental Standards for Freestanding Signs	
23		D. Instructional Signs	
24		E. Temporary Signs	13
25		F. Display of Commercial Flags	
26		G. Unified Sign Plan	
27	21.10.070	Signs in the Nonresidential Districts (C-1, C-2A, C-2B, C-2C, GC, MC, I-1, I-2, M	I,
28		NMU, CCMU, RMU, and TA)	
29		A. Basic Standards for Building Signs	
30		B. Basic Standards for Permanent Freestanding Signs	
31		C. Supplemental Standards for Freestanding Signs	
32		D. Instructional Signs	
33		E. Unified Sign Plan	
34		F. Display of Commercial Flags	
35	24.42.222	G. Temporary Signs	
36		Prohibited Signs	
37	21.10.090	Supplemental Sign Standards	
38 39		A. Illumination of Permanent and Temporary Signs	
39 40		B. Preservation of Sight Lines	
4 0 41			
+ 1 42	24 40 400	D. Maintenance Regulations for Nonconforming Signs	23
+2 43	21.10.100	A. Amortization of Permanent Signs	24
44		B. Termination	
45		C. Amortization of Illuminated Signs	
46		D. Amortization of Pole Signs	
1 0 47		E. Amortization of Animated Signs	
48		F. Amortization of Converted Signs	
49		G. Maintenance of Nonconforming Signs	
50		H. Alteration, Relocation or Replacement of Nonconforming Signs	
51		I. Reconstruction of Damaged Sign	
52		J. Historic Signs	
53		K. Extension of Time to Comply	26
54	21.10.110	Administrative Provisions	


1
2
3
4
5
6
7
8

A.	Compliance with This Section	26
	Approval Requirements for Signs	
	Status of Prior Violations	
	Application and Review Requirements	
	priances and Anneals	27

1 CHAPTER 21.10: SIGNS¹

2 21.10.010 PURPOSE 3 The purpose of this section is to promote the public health, safety, and welfare by establishing 4 standards and criteria for the construction, installation, maintenance, and operation of signs in 5 the Municipality of Anchorage, which are subject to the provisions of this section. It is the 6 further purpose to provide for the removal of those signs that do not comply with these 7 regulations. More specifically, this section is intended to: 8 Enhance and protect the physical appearance of the municipality. A. 9 В. To protect property values. 10 C. Promote and maintain visually attractive, high value residential, retail, commercial and 11 industrial districts. 12 D. Promote the economic well being of the community by creating a favorable physical 13 image 14 E. Ensure that signs are located and designed to: 15 1. Provide an effective means of way finding in the community. 16 2. Afford the community an equal and fair way to advertise and promote its 17 products and services. 18 3. Reduce sign clutter and the distractions and confusion that may be 19 contributing factors in traffic congestion and accidents, and maintain a safe 20 and orderly pedestrian and vehicular environment. 21 4. Minimize the disruption of the scenic views which when maintained protect 22 important community values. 23 5. Respect the unique climatic conditions such as the amount of snow fall and 24 the effect of sustained snow piles, the amount of daylight and the acute 25 shadows regularly occurring on the landscape 26 6. Afford businesses, individuals and institutions a reasonable opportunity to use 27 signs as an effective means of communication 28 F. Provide review procedures that assure that signs are consistent with the Municipality's 29 objectives and within the Municipality's capacity to efficiently administer the 30 regulations. 31 G. Prohibit all signs not expressly permitted by this section. 32 21.10.020 APPLICATION OF THIS SECTION 33 A. The regulations contained in this section shall apply to signs outside of the public 34 right-of-way and on the property to which the standard or regulation refers, except 35 when specifically stated otherwise. A sign may only be erected, established, painted,

¹ COMMENTARY: This Chapter directly carries forward the adopted sign ordinance (Ordinance 2003-62(5-1)) – except for the sign definitions. These definitions have been placed into Chapter 21.13, *Definitions*.



21.10.040 COMPUTATIONS, RULES OF MEASUREMENT, AND DEFINITIONS

The following regulations shall control the computation and measurement of sign area, sign height, building frontage, and public street frontage:


A. Determining Sign Area or Dimension of Signs

- 1. The sign area shall include the face of all the display area(s) of the sign. The sign area shall include the frame and structural support unless such structural support is determined to be an architectural feature as defined in Section 21.13.030. Architectural features that are either part of the building or part of a freestanding structure are not considered signs and are thus exempt from these regulations
- 2. For a sign that is framed, outlined, painted or otherwise prepared and intended to provide a background for a sign display, the area of the sign shall be the area of not more than three geometric shapes that encompasses the entire area of the sign including the background or frame.
- 3. For a sign comprised of individual letters, figures or elements on a wall or similar surface of a building or structure, or an irregular shaped freestanding sign, the area of the sign shall be the area of not more than three regular geometric shapes that encompasses the perimeter of all the elements in the display.
 - a. When separate elements are organized to form a single sign, but the elements are separated by open space, the area of the sign shall include all the display areas, including the space between the elements.
 - b. Up to five percent of the permitted sign area may be considered minor protrusions, and extend outside of the maximum limitation of three geometric shapes and are, therefore, exempted from being included as part of the sign area.
- 4. For freestanding and projecting signs the sign area shall be computed by the measurement of one of the faces when two display faces are joined, are parallel, or are within 30 degrees of being parallel to each other and are part of the same sign structure. For any sign that has two display surfaces that do not comply with the above regulation, or has more than two display surfaces then each surface shall be included when determining the area of the sign.

In determining the area of freestanding signs the following shall be exempted from being considered as part of the maximum permitted area:

- **a.** One half square foot of sign area shall be exempted for each digit of the street number, up to a maximum of three square feet.
- **b.** The portion of a solid sign base or other sign support, up to a maximum height of four feet that:
 - i. Is at least 50 percent screened by landscaping at the time of installation; or

1 2			ii.	Complies 21.10.040.A		the low.	requirements	of	subsection
3 4 5		C.	other a		ween a		ng sign betwee ing sign and th		
6 7		d.					tructural supportermined to be:		her portions
8 9 10			i.		le with,		with materials verchitecture of the		
11			ii.	Not intende	d or des	signed t	o include messa	ages; ar	nd
12 13 14 15			iii.	design featu	ures that be unob	t are pr otrusive	emarks, or an imarily intended or compatible versetures.	to attra	act attention,
16 17			er exemp Commis		area of a	a sign r	may only be app	roved b	y the Urban
18 19 20	5.	edge o	f the pu	blic right-of-	way imr	nediate	measured from ly adjacent to, s frame, or deco	or near	est the sign



B. Determining Building Frontage and Building Unit

For the purposes of this section and for determining allowable wall sign area, the building frontage shall include the building walls that: face a public street, face a parking lot which serves the use, or that contains a public entrance to the uses therein. For the purposes of these regulations, a public alley is not considered a public street.

- 1. The building frontage shall be measured along such building wall between the exterior faces of the exterior sidewalls.
- 2. In the case of an irregular wall surface, a single straight line approximating such wall surface shall be used to measure the wall's length.
- 3. For multi-occupant buildings, the portion of a building that is owned or leased by a single occupant shall be considered a building unit. The building frontage for a building unit shall be measured from the centerline of the party walls defining the building unit.
- 4. The primary frontage shall be the portion of a frontage that serves as the main access point to a building or building unit. (See Figure 2)
- **5.** The secondary frontage shall be all other frontages. (See Figure 2)

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

C. Determining Public Street Frontage

For the purposes of this section and for determining allowable freestanding sign area, public street frontage is the length of the public street, which is contiguous to the adjacent private parcel for which the sign is being considered. For the purposes of these regulations a public alley is not considered a public street. For the purposes of this section, standards, which are based on a minimum length of the public street frontage, shall also apply to "any portion thereof" unless the specific section states otherwise.

D. Determining Sign Setbacks

The required setbacks for the sign shall apply to all elements of the sign including its frame and base.




Figure 2: Primary and Secondary Frontage

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

1

2

3

4

5

6

7

8

9

10

11

21.10.050 SIGNS IN RESIDENTIAL DISTRICTS (R-1, R-2, R-3, R-4, R-5, R-6, R-9, R-10, RMX)

Signs for all residential and nonresidential uses in residential districts shall comply with the standards set forth in this section.

A. Basic Regulations for Signs in the Residential Districts (R-1, R-2, R-3, R-4, R-5, R-6, R-9, R-10, RMX)

Signs for all residential and nonresidential uses in residential districts shall be limited in number, area, height, and setback based on the type of use, as set forth in Table 21.10-1.

B. Supplemental Standards for All Freestanding Signs

1. Changeable Copy

Freestanding signs for permitted nonresidential uses may have up to 100 percent of the permitted sign area set forth in Table 21.10-1devoted to changeable copy.

a. Changeable copy may only be changed manually. Electronic changeable copy is prohibited.




TABLE 21.10-1: SIGNS IN THE RESIDENTIAL DISTRICTS (R-1, R-2, R-3, R-4, R-5, R-6, R-9, R-10, RMX, TA(2))								
Туре	Maximum Number Permitted	Maximum Area Per Sign	Standards for Freestanding Signs Maximum Height Height Setback from ROV					
(A) Signs for Each Single Family Dwelling, Duplex, or Townhomes								
1. Permanent Signs								
a. Building Signplates	1 per dwelling unit	2 sq. ft. (3)						
b. Freestanding Signs	1 per building	2 sq. ft.	5 ft.	0				
2. Temporary Signs (1)	2 per dwelling unit	6 sq. ft.	5 ft.	0				
Signs for Residential Subdivisions	8 ft.	5 ft.						
(B) Multi-Family Buildings								
1. Permanent Signs								
a. Building Signplates	1 per public entrance to building	2 sq. ft.						

TABLE 21.10-1: SIGNS IN THE RESIDENTIAL DISTRICTS (R-1, R-2, R-3, R-4, R-5, R-6, R-9, R-10, RMX, TA(2))								
Туре	Maximum Number Permitted	Maximum Area Per Sign		dards for nding Signs Minimum Setback from ROW				
b. Freestanding Signs	1 per development entrance or per 500 feet of public street frontage, whichever is greater	30 sq. ft.	8 ft.	Equal to height of sign				
2. Temporary Signs	2. Temporary Signs							
a. Freestanding Signs (1)		6 sq. ft.						
(C) Permitted Nonresidential L	Jses							
1. Permanent Signs								
 a. Building Signplates 	1 per address	2 sq. ft.						
b. Primary Building Signs	Not Applicable	½ sq. ft. of sign for every lineal ft. of primary building frontage		1				
c. Freestanding Signs	1 per 500 feet of public street frontage	40 sq. ft. (4)	8 ft.	10 ft.				
2. Temporary Signs								
a. Freestanding Signs (1) 2 6 sq. ft.								
(D) Instructional Signs Shall be exempt from requirements when in compliance with subsection 21.10.050.C.								

- (1) See also subsection 21.10.050.D.
- (2) The standards in this chapter only apply to residential parcels in the TA District.
- (3) A sign plate is not in violation of these regulations if a larger sign is determined to be necessary to accommodate identification as mandated by the Municipality.
- (4) A sign which is located within 40 feet of a property line of a parcel which is either occupied by, or is zoned for, a single family or two family dwelling unit shall be limited to a maximum area of 30 square feet.



Figure 3. Non-residential Uses Illustration: 7 ft beight, 27 sq ft area Maximum Permitted: 8 ft beight, 40 sq ft area



Figure 4. Subdivision Entrance Sign Illustration: 5 ft beight, 24 sq ft area (Approx.) Maximum Permitted: 8 ft height, 30 sq ft area

1 D. **Temporary Signs** 2 1. For Single Family Dwellings, Two Family Dwellings, or Townhomes 3 Two temporary signs are permitted at any given time on any one parcel. 4 These temporary signs may be displayed for an unspecified amount of time 5 provided these signs do not contain any commercial messages except for the 6 sale or leasing of the property on which the sign is located. 7 2. For Multiple-Family Developments and Nonresidential Uses 8 Two temporary freestanding signs that do not exceed six square feet each 9 may be erected for an unspecified time. 10 3. **Vacant Parcels** 11 The following signs are permitted for an unspecified period of time: 12 For a parcel less than one acre, one temporary sign is permitted up to a. a maximum of 16 square feet. 13 14 b. For a parcel greater than one acre, one temporary sign is permitted 15 up to 32 square feet. A parcel that also has frontage on a second 16 public street is entitled to a second sign, not to exceed 32 square 17 feet, provided that the length of the frontage along the second public 18 street is a minimum of 300 feet. 19 Such signs may not be used to display commercial messages referring to 20 products or services that are unrelated to current or pending activities on or 21 uses of the property. 22 21.10.060 SIGNS IN THE PUBLIC LANDS AND INSTITUTIONS (PLI) DISTRICT AND THE 23 WATERSHED (W) DISTRICT 24 Signs in the Public Lands and Institutions (PLI) District and the Watershed (W) District shall 25 conform to the standards set forth in this section. 26 Α. **Basic Standards for Building Signs** 27 **Maximum Area of Permanent Building Signs** 28 Building signs shall conform to the maximum area limitations set forth in Table

TABLE 21.10-2: BUILDING SIGNS IN THE PLI AND W DISTRICTS								
Sign Type	Maximum Number Permitted	Base Area Permitted on a Single Building Frontage						
Signplate	1/address	2 square feet						
Building Sign on Primary Frontage (1)(2)		1 sq. ft. per lineal ft. of primary frontage (3)						
Building Sign on Secondary Frontage (1)(2)		0.6 sq. ft. per lineal ft. of secondary frontage (3)						
Instructional Sign	Shall be exempt from subsection 21.10.050	regulations when in compliance with .C.						

21.10-2.

TABLE 21.10-2: BUILDING SIGNS IN THE PLI AND W DISTRICTS Sign Type Maximum Number Permitted Base Area Permitted on a Single Building Frontage

- (1) See subsection 21.10.040.B.
- (2) The maximum sign area that is permitted for primary frontage may be transferred to a secondary frontage provided that the maximum sign area on any secondary frontage does not exceed one (1) square foot for each lineal foot of frontage. See also the wall sign bonuses that are permitted pursuant to subsection 21.10.060.B.2.
- (3) The maximum building sign area for a building or any portion of the building which is setback more than 200 feet from the right-of-way that provides primary access to the site may be increased by 25 percent, provided the building is visible from any portion of the adjacent street.

2. Placement of Building Signs

- a. The building signs permitted in Table 21.10-2 may be placed on the wall, awnings, canopies, parapets, or be a projecting sign in compliance with subsection 21.10.060.A.2.b. below.
- **b.** Projecting signs shall be limited to occupants that have a minimum of ten feet of occupant building frontage provided that:
 - i. All projecting signs shall have a maximum height of 14 feet and a minimum clearance of eight feet from the ground to the bottom of the sign. A projecting sign may be a minimum of six feet from the ground when it is located above a landscaped area or other area that does not permit pedestrian traffic beneath the sign.
 - **ii.** Projecting signs shall be placed on the building so the signs are intended to be viewed by the pedestrians on the abutting street or pedestrian way.




Figure 5. Building Signs
Illustration: 1.0 sq ft per lineal ft of frontage
Maximum Permitted: 1.0 sq ft per lineal ft of
frontage

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

1 2 3 4 5 6 7 8

9

В. **Basic Standards for Permanent Freestanding Signs**

1. Maximum Number, Area and Height, Minimum Setback of Permanent Freestanding Signs

Permanent freestanding signs shall comply with the maximum number, area, and height limitations, and minimum setback from the street right-of-way set forth in Table 21.10-3.

2. **Sign Area Proportions**

For any freestanding sign, the horizontal portion (width) of the face shall not exceed four times the height of the face.

TABLE 21.10-3: FREESTANDING SIGNS STANDARDS IN THE PLI AND W DISTRICTS						
Maximum Height	15 ft.					
Maximum Area	120 sq. ft.					
Number/Frontage	1 per 300 ft. frontage up to a maximum of two					
Minimum Separation	200 ft.					
Minimum Setback from R.O.W.	None on a Class II or greater street; otherwise 10 ft.					
Minimum Setback from Side Lot Line (2)	10 ft.					
Entrance and Exit Signs (1)						
Maximum Area	6 sq. ft.					
Maximum Height	5 ft.					

⁽¹⁾ Entrance and exit signs, which are permitted in addition to the above freestanding signs, shall be limited to two for each entrance/exit driveway.

10

11

C. **Supplemental Standards for Freestanding Signs**

12 13

14

15 16

17 18 19

20

25

1. **Number of Freestanding Signs Allowed**

- Lots with less than 300 lineal feet of frontage may have only one freestanding sign per frontage.
- b. Lots with 300 or more lineal feet of frontage may have two freestanding signs per frontage.
- No more than two freestanding signs are allowed along any one C. frontage. Freestanding signs must be separated by a minimum distance of 150 feet. On corner lots, the property frontage on both streets shall be considered when measuring the separation.

2. **Wrapping Structural Steel Supports**

Signs that are eight feet or less in height with exposed structural steel a. support: The structural steel supports shall have a covering that totals at least four times the width of the structural steel at its widest point and is parallel to the sign face.

⁽²⁾ If the side lot is adjacent to a residential district then the minimum setback from the side lot line is 30 feet.




Figure 6: Examples of pole wrap. Poles depicted in plan view. 1 b. Signs that are greater than eight feet in height: All structural steel 2 supports shall have coverings that collectively total at least 33 percent 3 of the width of the sign at its widest point. 4 The width of the covering shall be symmetrical for all supports. (See C. 5 Figure 6) 6 d. The depth of the support coverings shall not exceed the depth of the 7 sign. (See Figure 6) In all circumstances, the covering shall extend from four inches above 8 e. 9 the ground to the base of the sign face. 10 f. The following materials shall not be used for covering structural steel 11 supports: 12 i. T-111 13 ii. Plywood 14 iii. Particle Board 15 Sheet Metal of less than 24 gauge iν. 16 Aluminum of less than .063 inches ٧. 17 3. Changeable Copy 18

Freestanding signs may have up to 30 percent of the permitted sign area set forth in Table 21.10-3 devoted to changeable copy.

- **a.** Changeable copy may only be changed manually, provided, however, if the business or institution has frontage on a Class II or greater street, the copy may be changed electronically or mechanically as well as manually.
- b. The changeable copy, which is changed electronically or mechanically, shall not be changed more than one time per 20second period.

19

20

21

22

23

24



Pigure 7. Freestanding sign in PLI Zone Illustration: 3 ft. height, 45 sq ft area (approx.) Maximum Permitted: 15 ft height, 120 sq ft area

D. Instructional Signs

Signs that comply with the definition of "instructional sign" shall be permitted as needed provided such signs comply with the following:

- **1.** The signs are not larger than necessary to serve the intended instructional purpose;
- 2. The number of instructional signs located on the site are the minimum needed to serve the intended instructional purpose; and
- 3. The signs are not located or designed to be legible or serve to attract attention beyond the perimeter of the site.
- 4. The signs may be placed on the base of a permitted freestanding sign without the area of such instructional sign, or the background, being considered as part of or added to the area of the freestanding sign.

E. Temporary Signs

Temporary signs in the PLI and W Districts are permitted pursuant to Schedule 21.10-4 as set forth below:

TABLE 21.10-4: TEMPORARY SIGNS IN THE PLI AND W DISTRICTS						
Maximum Area	100 sq. ft. (32 sq. ft. rigid material)					
Maximum Number of Signs Per Principal Use	1					
Maximum Number of Display Days	60					
Lighting	Internally illuminated or lighted signs are prohibited.					
Motion	Animation or flashing is prohibited					
Maximum Height (Freestanding)	Same as permanent signs					
Yards	Same as permanent signs					

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

1 F. **Display of Commercial Flags** 2 In the PLI and W Districts, a maximum of three flagpoles may be erected on any 3 parcel provided that: 4 1. A maximum of three commercial flags may be displayed simultaneously; 5 2. The maximum length of the flag pole shall be 30 feet; and 6 3. The total maximum size of all commercial flags displayed shall not exceed 7 120 square feet. Subject to the total maximum size of commercial flags, a 8 commercial or non-commercial organization may display alongside a national 9 or governmental flag, one organizational flag not larger than the national or 10 governmental flag. 11 4. The corporate or commercial flag may only display the name, trademark, or 12 logo of the business on the parcel and such flag may not be used for other 13 business or advertising purposes. 14 G. **Unified Sign Plan** 15 To recognize and accommodate irregular site shapes (which are typically 16 characterized by narrow lot frontages resulting in some buildings with extraordinarily 17 large setbacks and limited visibility to a public street) multiple contiguous lots and/or 18 tracts may be considered as a single site for the purposes of determining the size, 19 number, and placement of freestanding signs permitted pursuant to this section. 20 Solely for the purposes of this section: 21 1. The number and area of the freestanding signs permitted, pursuant to Table 22 21.10-3, shall be determined based on size and frontage of the multiple 23 properties being considered as a single parcel. 24 2. After a unified sign plan has been approved by the Municipality and a permit 25 has been issued, the sign rights or limitations shall be recorded with the State 26 District Recorder's Office as a deed restriction. 27 3. Revocation of a unified sign plan must be approved by all participants in the 28 plan; all signs on the affected properties must be in compliance with this code 29 before the plan can be revoked. 30 This section shall not be interpreted as authorizing the erection or 4. 31 maintenance of any sign or display within 660 feet of the nearest edge of the 32 right-of-way and visible from the main-traveled way of an interstate, primary or 33 secondary highway, or the erection or maintenance of any sign or display 34 beyond 660 feet of the nearest edge of the right-of-way of the main traveled 35 way of an interstate, primary or secondary highway with the purpose of the 36 message displayed being read from that travel way, in a manner that would 37 conflict with the provisions of Alaska Statutes Sections 19.25.075 -

19.25.180.

										<u> </u>
1 2	21.10.070		S IN THE MU, CCM				CTS (C-1, C-2	A, C-2B, C-2	.C, GC, MC, I-	1, I-2,
3 4							C-2A, C-2B, standards set f		MC, I-1, I-2, Nection.	ИI, NMU,
5		A.	Basic	Standar	ds for E	Building Sigr	ıs			
6 7 8			1.		g signs :		ent Building S to the maxim		ations set forth	n in Table
9 10 11 12			2.	Placer a.	The buwall, a	awnings, cai	permitted in T	ets, or be	may be place a projecting	
									· Comment	B
				ustration: 1	.77 sq ft per	ng Signs-General lineal ft frontage lineal ft frontage	2 66 F	of Kentol Barrello	-1.0 Tau-	
13 14				b.			all be limited to building front		that have a mi that:	nimum of
15 16 17 18 19 20					i.	and a minin bottom of the six feet frolandscaped	num clearance ne sign. A pr om the grou	e of eight feet ojecting sign and when it ther area t	imum height of the from the groumay be a mining is located that does no	ind to the nimum of above a
21 22 23					ii.	signs are in		viewed by	he building so the pedestriar	
24 25 26 27 28 29 30			3.	In addition is permitted addition	ition to the ditted of the time of time of time of the time of	he building si on each of the following. area is 40 area may be	he building's For a build square feet increased by	tion 21.10.07 primary and ding with tw for an eligib ten square	igs O.A one addition of secondary	frontages additional all. This additional

which the bonus is given.

31

TABLE 21.10-5: BUILDING SIGNS IN ALL NONRESIDENTIAL DISTRICTS (C-1, C-2A, C-2B, C-2C, GC, MC, I-1, I-2, MI, NMU, CCMU, RMU, and TA (1))

Sign Type	Maximum Number Permitted	Base Area Permitted on a Single Building Frontage (2)
Signplate	1/address	2 square feet
Building Sign on Primary Frontage (3)		 1.2 sq. ft. per linear ft. of primary frontage in the C-2A, C-2B, and C-2C Districts. 2 sq. ft. per lineal ft. of primary frontage in all other districts regulated in Section 21.10.070 (4)
Building Sign on Secondary Frontage		1.2 sq. ft. per lineal ft. of secondary frontage
Building Sign on Door of Rear Entrance		2 sq. ft. per each door
(E) Instructional Sign	Shall be exempt from	regulations when in compliance with subsection 21.10.070.D

- (1) The standards in this section only apply to non-residential parcels in the TA district.
- (2) See subsection 21.10.040.B.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16 17

- (3) The maximum sign area that is permitted for primary frontage may be transferred to a secondary frontage provided that the maximum sign area on any secondary frontage does not exceed two square feet for each lineal foot of frontage.
- (4) The maximum building sign area for a building or any portion of the building that is setback more than 200 feet from the right-of-way that provides primary access to the site may be increased by 25 percent, provided the building is visible from the street.

B. Basic Standards for Permanent Freestanding Signs

1. Maximum Area and Height, Minimum Setback of Permanent Freestanding Signs

Permanent freestanding signs shall comply with the maximum area and height limitations and minimum setback from the street right-of-way set forth in Table 21.10-6.

2. Sign Area Proportions

For any freestanding sign greater than 15 feet in height but less than 20 feet, the horizontal portion (width) of the face shall not exceed four times the height of the face. For any freestanding sign between 20 feet and 25 feet in height, the horizontal portion (width) of the face shall not exceed three times the height of the face.

C. Supplemental Standards for Freestanding Signs

I. Number of Freestanding Signs Allowed

a. Lots with less than 300 linear feet of frontage may have only one freestanding sign per frontage.

TABLE 21.10-6: FREESTANDING SIGN REGULATIONS							
	C-1	TA (Commercial and Industrial parcels)	C-2A, C- 2B, C-2C	GC, I-1, I-2, MC, MI	T-Com		
(A) Maximum Height	12 ft.	12 ft.	8 ft.	25 ft.	12 ft.		
(B) Maximum Area	80 sq. ft.	80 sq. ft.	64 sq. ft.	0.7 sq. ft. per 1 lineal foot of frontage (3)	80 sq. ft.		
(C) Number/Frontage	See subsection 21.10.070.C						
(D) Separation	150 ft.						
(E) Minimum Setback from R.O.W.	0 ft.	10 ft.	0 ft.	0 ft.	10 ft.		
(F) Minimum Setback from side lot line (2)	10 ft.	10 ft.	10 ft.	10 ft.	10 ft.		
(G) Entrance and Exit Signs (1)							
Maximum Area 6 sq. ft.							
Maximum Height 5 ft.							
(1) Entrance and Exit signs, which are permitted in addition to the above freestanding signs, shall be limited to two for							

⁽¹⁾ Entrance and Exit signs, which are permitted in addition to the above freestanding signs, shall be limited to two for each entrance/exit driveway.

(3) The maximum allowable area shall not be less than 70 square feet nor greater than 200 square feet. 1 2 b. Lots with 300 or more lineal feet of frontage may have two 3 freestanding signs per frontage. 4 No more than two freestanding signs are allowed along any one C. 5 frontage. Freestanding signs must be separated by a minimum 6 distance of 150 feet. On corner lots, the property frontage on both 7 streets shall be considered when measuring the separation. 8 2. **Changeable Copy** 9 Freestanding signs may have up to 30 percent of the permitted sign area set 10 forth in Table 21.10-6 devoted to changeable copy. 11 The changeable copy shall not change more than one time per 5a. 12 second period. 13 b. Changeable copy may be changed electronically, mechanically, or 14 manually. 15 3. **Wrapping Structural Steel Supports** 16 Signs that are eight feet or less in height with exposed structural steel 17 support: The structural steel supports shall have a covering that

point and is parallel to the sign face.

18

19

totals at least four times the width of the structural steel at its widest

⁽²⁾ If the side lot line is adjacent to a residential district then the minimum setback from the side lot line is 30 feet.

17

18

19

20

21

22

23

24

- b. Signs that are greater than eight feet in height but less than 15 feet in height: All structural steel supports shall have coverings that collectively total at least 33 percent of the width of the sign at its widest point and are parallel to the sign face.
- c. Signs 15 feet or greater in height that have a single structural steel support: The structural steel support shall have a covering that totals at least 25 percent of the width of the sign at its widest point and is parallel to the sign face.
- d. Signs 15 feet or greater in height that have more than one structural steel support: The structural steel supports shall have coverings that collectively total at least 33 percent of the width of the sign at its widest point.
- **e.** The width of the covering shall be symmetrical for all supports. (See Figure 9)
- **f.** The depth of the support coverings shall not exceed the depth of the sign. (See Figure 9)





Figure 9: Examples of pole wrap. Poles depicted in plan view.

- **g.** In all circumstances, the covering shall extend from four inches above the ground to the base of the sign face.
- **h.** The following materials shall not be used for covering structural steel supports:
 - i. T-111;
 - ii. Plywood;
 - iii. Particle Board:
 - iv. Sheet metal of less than 24 gauge:
 - v. Aluminum of less than .063 inches.






Figure 11. Freestanding sign Illustration: 14 ft beight, 85 sq ft area Maximum Permitted: 25 ft beight. 200 sq ft area

4. Multi-Occupant Facilities

When a freestanding sign is constructed on a site that has more than one occupant, it is the property owner's responsibility to determine if the sign area shall be devoted to identification of the building(s), the anchor occupant, all occupants, or some combination thereof.

D. Instructional Signs

Signs that comply with the definition of "instructional sign" shall be permitted as needed provided such signs comply with the following:

- 1. The signs are not larger than necessary to serve the intended instructional purpose;
- 2. The number of instructional signs located on the site are the minimum needed to serve the intended instructional purpose; and
- 3. The signs are not located or designed to be legible or serve to attract attention beyond the perimeter of the site.
- 4. The signs may be placed on the base of a permitted freestanding sign without the area of such instructional sign, or the background, being considered as part of or added to the area of the freestanding sign.

E. Unified Sign Plan

To recognize and accommodate irregular site shapes (which are typically characterized by narrow lot frontages resulting in some buildings with extraordinarily large setbacks and limited visibility to a public street) multiple contiguous lots and/or tracts may be considered as a single site for the purposes of determining the size, number, and placement of freestanding signs permitted pursuant to this section. Solely for the purposes of this section:

6 7 8

9

11 12

13 14

15 16 17

18

TABLE 21.10-7: TEMPORARY SIGNS				
Maximum Area	100 sq. (32 sq. ft. rigid material)			
Maximum Number of Signs Per	1			
Principal Use				
Maximum Number of Display Days	60			
Lighting	Internally illuminated or lighted signs are prohibited.			

Temporary signs in nonresidential districts are permitted pursuant to Table 21.10-7 as

set forth below:

33

TABLE 21.10-7: TEMPORARY SIGNS				
Motion	Animation or flashing is prohibited			
Maximum Height (Freestanding)	Same as permanent signs			
Yards	Same as permanent signs			

1

6

7

8

9

10

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

21.10.080 PROHIBITED SIGNS

- The following signs are prohibited:
- 4 A. Roof signs
- 5 B. Billboards and other off-premise signs
 - C. Any sign or display within 660 feet of the nearest edge of the right-of-way and visible from the main-traveled way of an interstate, primary or secondary highway, or any sign or display beyond 660 feet of the nearest edge of the right-of-way of the main traveled way of an interstate, primary or secondary highway erected or maintained with the purpose of the message displayed being read from that travel way, that would conflict with the provisions of Alaska Statutes Sections 19.25.075 19.25.180.
 - D. Portable signs.
 - **E.** Flashing, moving, animated, coursing, blinker, racer-type, intermittent, rotating, moving or revolving signs and/or devices, whirligig devices, inflatable signs and tethered balloons, pennants, ribbons, streamers, spinners, and other similar types of attention-getting devices except for changeable copy signs when in compliance with the applicable regulations in this section.
 - **F.** Signs in the AF Antenna Farm District except for warning signs and identification placards required in subsection 21.45.265.A.10.

21.10.090 SUPPLEMENTAL SIGN STANDARDS


A. Illumination of Permanent and Temporary Signs

Permanent and temporary signs shall be permitted to be illuminated in compliance with the following:

- 1. Signs shall not include animated, flashing, moving or intermittent illumination except that the messages may change no more frequently than the rates specified in subsections 21.10.050.B., 21.10.060.C., and 21.10.070.C.
- **2.** Temporary signs shall not be internally illuminated. Any external illumination of these signs shall be permitted only in commercial and industrial zones.
- **3.** All internally illuminated building signs or free-standing signs shall comply with the following:
 - a. Except as provided in subsection 21.10.090.A.3.c. below, the sign shall be constructed with either: an opaque background and translucent letters and symbols; or, a translucent darker colored background with a lighter contrasting color for the letters and

1 2				symbols. Registered trademarks and logos are exempt from this provision.
3 4			b.	No internal lighting shall include exposed incandescent or fluorescent bulbs.
5 6 7 8			C.	A changeable copy sign with dark colored letters or symbols on a lighter contrasting translucent background may be internally illuminated if the internally illuminated area of the sign does not exceed 20 square feet.
9 10 11		4.	Signs	anding signs more than 15 feet high shall only be internally illuminated. less than or equal to 15 feet in height may be either internally or ally illuminated.
12		5.	The ex	ternal illumination of freestanding signs shall comply with the following:
13 14			a.	Any external lighting of signs that have a height of between eight feet and 15 feet must be from the top of the sign and directed downward;
15 16			b.	The lighting of signs that have a height of eight feet or less may be illuminated from the top of the sign or from the ground.
17 18		6.	Externation the sign	ally illuminated building signs may only be illuminated from the top of n.
19 20 21		7.		ources for externally illuminated signs must be shielded and directed the light shines on the sign and that illumination beyond the sign face nized.
22 23		8.		anding signs accessory to a single-family dwelling, two-family, or ome use in a residential district shall not be illuminated.
24 25		9.		on a building or parcel in a residential district that has multi-family uses of be internally illuminated.
26 27 28 29		10.	illumina letters	gns on permitted non-residential uses in residential districts the ation may be from external sources or by internal illumination of the and logos only; internal illumination of the background portion of the prohibited.
30 31 32		11.	require	gistered trademark or logo is not in compliance with the illumination ments of this section, then such area of non-compliance shall be to a maximum of 30 percent of the sign area.
33	В.	Preser	vation c	of Sight Lines
34 35 36 37 38		the inte sign be Americ	ersection etween a an Asso	te of assuring that drivers and pedestrians have adequate visibility at a of a roadway, street, driveway, trail, or alley, no sign or portion of a height of two and one-half feet and eight feet shall conflict with the ociation of State Highway and Transportation Officials (AASHTO) Sight gle specifications.

1	C.	Const	ruction Standards
2 3		1.	The construction, erection, safety, and maintenance of signs shall comply with the Uniform Sign Code as amended.
4 5		2.	Signs shall be structurally sound and located so as to pose no threat to pedestrian or vehicular traffic.
6 7		3.	Permanent signs shall be fabricated on and of materials that are of good quality and good durability.
8 9 10		4.	Electric signs and all permanent signs involving structural requirements of the building code shall be installed, repaired, altered, and serviced only by a contractor licensed to perform such tasks.
11 12 13		5.	No sign shall be erected so as to obstruct any window, door, fire escape, balcony, platform, stairway, ladder, vent, or other means of ingress and egress of any building.
14 15		6.	No sign shall be attached to a utility pole, tree, trash receptacle, bench, or other structure not intended or approved as a sign support.
16 17 18		7.	Temporary signs shall be durable and weather-resistant and fastened or anchored sufficiently, whether attached to the building or positioned in the ground.
19 20 21 22 23 24 25 26		8.	No sign regulated by any of the provisions of this section shall be erected in the right-of-way, in proximity to railroad crossings, or at the intersection of any streets in such a manner as to obstruct free and clear vision; or at any location where, by reason of the position, shape, or color, it may interfere with, obstruct the view of, or be confused with, any authorized traffic sign signal or device; or which makes use of the words "STOP," "LOOK," "DANGER", or any other word, phrase, symbol or character in such a manner as to interfere with, mislead, or confuse traffic.
27 28 29		9.	In the event there is a conflict between the provisions of this section and the provisions of any applicable building codes, the provisions of the applicable building code shall govern.
30	D.	Mainte	enance
31		All sig	ns shall be maintained in accordance with the following:
32 33 34		1.	The property owner, occupant, or other person responsible for the sign shall maintain the sign in a condition fit for the intended use and he or she shall have a continuing obligation to comply with all building code requirements.
35 36 37 38 39 40		2.	If the Administrative Official finds that any sign is unsafe, insecure, a menace to the public, notice shall be given in writing by the Administrative Official to the owner. The owner of the business shall, within 48 hours of such notification, correct such unsafe condition or remove the sign. If the correction has not been made within the 48 hours, the sign may be removed or altered by the Municipality to comply with these regulations at the expense



1		1. The size or shape of the sign is changed.		
2		2. The sign structure is altered. Alteration does not include repairs and/or maintenance.		
4 5		3. The nonconforming sign is accessory to a nonconforming use that has lost its nonconforming status.		
6	C.	Amortization of Illuminated Signs		
7 8 9		Any illuminated sign that does not meet the requirements of subsection 21.10.090.A shall be altered to comply with the requirements of this section within three years from the date of adoption of this section.		
10	D.	Amortization of Pole Signs		
11 12 13 14		Any sign where the structural steel supports are visible and which does not meet the requirements of subsections 21.10.060.C.2. or 21.10.070.C.3., shall be altered to comply with the requirements of this section within three years from the date of adoption of this section.		
15	E.	Amortization of Animated Signs		
16 17 18		Any sign which contains non-complying animation, changeable copy, or flashing or moving parts shall be altered to comply with the requirements of this section within 180 days from the date of adoption of this section which is October 1, 2003.		
19	F.	Amortization of Converted Signs		
20 21 22 23 24		Any non-conforming sign that was originally portable or temporary, was subsequently affixed to the ground or a building, and does not comply with the height, area, or the number of signs permitted requirements of these regulations shall be removed, altered, reconstructed, or reinstalled to be in compliance with these regulations within three years from the adoption of this section which is October 1, 2006.		
25	G.	Maintenance of Nonconforming Signs		
26 27 28		Nonconforming signs shall continue to be maintained in safe condition pursuant to the building regulations of the Municipality until such sign is required to be removed as set forth in this section.		
29	н.	Alteration, Relocation or Replacement of Nonconforming Signs		
30 31		A nonconforming sign shall not be structurally altered, relocated, or replaced unless it is brought into compliance with the provisions of this section.		
32	l.	Reconstruction of Damaged Sign		
33 34 35 36 37 38		If a sign and/or its support are damaged to the extent where the repair cost exceeds 50 percent of the replacement cost of the sign, the sign shall be removed or brought into compliance. If the repair costs do not exceed 50 percent of the replacement cost of the sign, the Administrative Official may authorize the sign to be repaired, provided all repair work is completed within 90 days, subject to the Administrative Official extending the time for good cause, of the date the Administrative Official determines		

1 the damage requires replacement or permits repair. In no event may a sign be 2 maintained in an unsafe condition during the process of this determination or the 3 period necessary for repairs. 4 J. **Historic Signs** The Urban Design Commission may grant exceptions to these standards whenever a 5 6 sign or property has been designated a historic sign pursuant to the guidelines and 7 criteria established and adopted by the Urban Design Commission. 8 K. **Extension of Time to Comply** 9 The dates established in this section for a sign to be brought into compliance with the 10 requirements of these regulations may be appealed to the Zoning Board of Examiners 11 and Appeals by the owner or leasee of the nonconforming sign pursuant to Section 12 21.30.110 of Title 21. In evaluating the extension of time for a nonconforming use, the 13 Zoning Board of Examiners and Appeals shall consider, in addition to the criteria of 14 Section 21.30.160 the following factors to determine whether the owner of the sign 15 has had reasonable amount of time to recoup his investment: 16 1. The value of the sign at the time of construction and the length of time the 17 sign has been in place; 18 2. The life expectancy of the original investment in the sign and its salvage 19 value, if any; 20 3. The amount of depreciation and/or amortization of the sign already claimed 21 for tax or accounting purposes: 22 The length of the current tenant lease or expected occupancy compared to 4. 23 the date the sign is to be brought into compliance; 24 The extent to which the sign is not in compliance with the requirements of this 5. 25 chapter; and 26 6. The degree to which the Board determines that the sign is consistent with the 27 purposes of this section. 28 21.10.110 ADMINISTRATIVE PROVISIONS 29 **Compliance with This Section** Α. 30 No person shall erect, locate, move, alter, or replace any sign or cause a sign to be located or maintained, unless all provisions of this section have been met. 31 32 В. **Approval Requirements for Signs** 33 To ensure compliance with these regulations proposed signs shall be required to 34 receive a permit from the Department of Planning as set forth in Schedule 21.10-10. 35 Other signs specified in the schedule do not require a permit.

23456789

1

C. Status of Prior Violations

All violations of the sign regulations repealed by the adoption of this section shall remain violations of the ordinances of the Municipality of Anchorage and all penalties and enforcement remedies set forth herein shall be available to the Municipality as though the violation were a violation of this section. Provided, however, that if the effect of this section is to make a sign, that was formerly unlawful or nonconforming, become lawful and/or conforming, then no enforcement action shall be taken except for the imposition and collection of penalties, other than the removal of the sign, for the violations that occurred prior to the effective date of this section.

TABLE 21.10-10: ADMINISTRATIVE REQUIREMENTS					
	Permit	No Permit			
Sign Plate		X			
Permanent Building Sign	Χ				
Permanent Freestanding Sign	Χ				
Entrance/Exit		X			
Instructional		X			
Temporary – on a parcel		X			
Temporary – for a business		X			
Construction signs		X			
Temporary for any Residential Unit		X			

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

D. Application and Review Requirements

- 1. An application for a sign permit shall be made to the Administrative Official on the form provided and in the manner required.
- 2. When any person other than the owner of the property submits a sign application, the owner of the property or a designated agent for the owner shall also sign such application.
- 3. The Administrative Official shall review and act on the sign applications for permanent signs for which a permit is required to assure compliance with the standards set forth in this section.

21.10.120 VARIANCES AND APPEALS

The Urban Design Commission shall hear and decide on any request for a variance to the regulations in this Section 21.10 including:

A. The maximum sign area, the maximum sign height, the location of the sign, and the number of signs on the parcel. In evaluating the request for a variance to the maximum sign height the Urban Design Commission may consider whether there are special topographic circumstances that would result in a material impairment of visibility of the sign from the adjacent roadway which significantly diminishes the owner's or user's ability to continue to communicate adequately and effectively with the public through the use of the sign.

B. The portion of the sign structure that should be exempt from being considered part of the sign area if such exemption has not been granted by the Administrative Official pursuant to subsection 21.10.040.A.4.