Dimensional Standards Comparison of Zoning Districts in Current Code and Proposed Rewrite (Includes proposed amendments by Planning and Zoning Commission)

| Type of Dimensional Standard | Current Code | Proposed Code |
|---------------------------------|---------------------------------------|---|
| R-1 | single-family residential | single-family residential |
| R-1 Minimum area | Single-family—6,000 sf | Single-family—6,000 sf |
| D 1 Cathacka | Front—20' | Nonresidential—10,000 sf Front—20' |
| R-1 Setbacks | Side—5' | Side—residential-5', nonresidential-10' |
| | Rear—10' | Rear—10' |
| R-1 Building height | Principal structure—30' | Principal structure—30' |
| | Garage—20' | Garage—20' |
| | Accessory structure—12' | Accessory structure—12' |
| R-1 Lot coverage | 30% | 30% |
| R-1A | single-family residential | single-family residential (larger lot) |
| R-1A Minimum area | Single-family—8,400 sf | Single-family—8,400 sf |
| | | Non-residential—10,000 sf |
| R-1A Setbacks | Front—20' | Front—20' |
| | Side—5' | Side—residential-5', nonresidential-10' |
| | Rear—10' | Rear—10' |
| R-1A Building height | Principal structure—30' | Principal structure—30' |
| | Garage—20' | Garage—20' |
| | Accessory structure—12' | Accessory structure—12' |
| R-1A Lot coverage | 30% | 30% |
| R-2A | two-family residential (large lot) | two-family residential (larger lot) |
| R-2A Minimum area | Single-family—7,200 sf | Single-family —7,200 sf |
| | Two-family-8,400 sf | Two-family —8,400 sf Single-family attached—3,500 sf |
| | | Nonresidential—10,000 sf |
| R-2A Setbacks | Front—20' | Front-20' |
| | Side—5' | Side—residential-5'; nonresidential-10' |
| | Rear—10' | Rear—10' |
| R-2A Building height | Principal structure—30' | Principal structure—30' |
| 5 5 | Garage—25' | Garage—25' |
| | Accessory structure—12' | Accessory structure—12' |
| R-2A Lot coverage | 40% | 40% |
| R-2D | two-family residential | two-family residential |
| R-2D Minimum area | Single-family—6,000 sf | Single-family/two-family—6,000 sf |
| | Two-family—6,000 sf | Single-family attached—3,500 sf |
| | | Nonresidential—10,000 sf |
| R-2D Setbacks | Front—20' | Front—20' |
| | Side—5' | Side—residential-'5; nonresidential-10' |
| | Rear—10' | Rear—10' |
| R-2D Building height | Principal structure—30' | Principal structure—30' |
| | Garage—25' Accessory structure—12' | Garage—25' Accessory structure—12' |
| | | |

| Type of Dimensional Standard | Current Code | Proposed Code |
|---------------------------------|---|--|
| R-2D Lot coverage | 40% | 40' |
| R-2F | | mixed residential 1 |
| R-2F Minimum area | | Single-family detached—6,000min;12,000max. Two-family—6,000 sf Single-family attached/townhouse—3,000 sf 3 units—8,500 sf 4 units—11,000 sf Nonresidential—10,000 sf |
| R-2F Setbacks | | Front—20' Side—less than 3plex—5'; 3-4 units & nonresidential—10' Rear—10' |
| R-2F Building height | | Principal structure—30' Garage—25' Accessory structure—12' |
| R-2F Lot coverage | | 40% for all except townhouse, which is 60% |
| R-2M | Multiple-family residential | mixed residential 2 |
| R-2M Minimum area | Single-family, two-family—6,000 sf 3 units—8,500 sf 4 units—11,000 sf 5 units—13,500 sf 6 units—16,000 sf 7 units—18,000 sf 8 units—20,000 sf | Single-family—6,000 sf min, 12,000 sf max Two-family—6,000 sf Single-family attached/townhouse—3,000 sf 3 units—8,500 sf 4 units—11,000 sf 5 units—13,500 sf 6 units—16,000 sf 7 units—18,000 sf 8 units—20,000 sf Nonresidential—10,000 sf |
| R-2M Setbacks | Front—20' Side—5' Rear—10' | Front—20' Side—less than 3plex—5'; 3-8 units & nonresidential—10' Rear—10' |
| R-2M Building height | Principal structure—30' Garage—25' Accessory structure—12' | Principal structure—30' Garage—25' Accessory structure—12' |
| R-2M Lot coverage | 40% | 40% for all except townhouse, which is 60% |
| R-3 R-3 Minimum area | multiple-family residential Single-family-4plex—6,000 sf | multi-family residential 1 Townhouse—3,000 sf |
| | 5plex or more—8,500 sf plus 1,000 sf for each unit over 5 | Multifamily—6,000 sf plus 1,000 for each unit over 4 units Nonresidential—10,000 sf |
| R-3 Setbacks | Single-family and two-family Front—20' Side—5' Rear—10' <u>3plex or more</u> Front—20' | Front—20' Side—townhouse-5' (0' on common lot line); All other—10' Rear—10' for townhouse; all other 20' |

| Type of Dimensional Standard | Current Code | Proposed Code |
|---------------------------------|---|--|
| | Side—10' | |
| | Rear—20' | |
| R-3 Building height | | 35' |
| R-3 Lot coverage | | 60% for townhouse |
| | | 40% for all other |
| R-3 Open Space/Usable | For 3plex or greater, 400 sf per unit | 300 sf per unit |
| Yard | | |
| R-4 | multiple family residential | multi-family residential 2 |
| R-4 Minimum area | | Townhouse—3.000 sf |
| | 7 units—8,500 sf | All other uses—6,000 sf |
| | 8 units—9,250 sf | , |
| | 9 units—10,000 sf | |
| | 10 units—10,750 sf | |
| | 11+ units—11,500 sf and 2.0 Floor Area Ratio | |
| R-4 Setbacks | | Front—10' |
| | Side—5' plus 1' for every 5' in height over 35' | Side—townhouse-5' |
| | Rear—10' | All others—5' plus 1' for each 5' of height exceeding 35' |
| | Keai—10 | Rear-10' |
| R-4 Building height | Unrestricted | Townhouse—35' |
| R-4 building height | Onrestricted | |
| | 500/ | All other—45' |
| R-4 Lot coverage | 50% | Townhouse—60% |
| | | All other—50% |
| R-4 Open space/Usable | For 3plex or greater—100 sf per unit | 100 sf per unit |
| yard | | |
| R-4A | | multi-family residential mixed-use |
| R-4A Minimum area | | Townhouse—3,000 sf |
| | | All other uses—6,000 sf |
| R-4A Setbacks | | Front—10' min and 20' max |
| | | Side—townhouse-5' |
| | | All others-10' if adjacent to residential district (except R-4 or R- |
| | | 4A); otherwise 5' |
| | | Rear—15' if adjacent to residential district (except R-4 or R- |
| | | 4A); otherwise 10' |
| R-4A Building height | | Townhouse—35' |
| 5 5 5 | | All other—45' |
| R-4A Lot coverage | | Townhouse—60% |
| | | Multifamily dwellings—65% |
| | | All other—50% |
| R-4A Open space/Usable | | 100 sf per unit |
| yard | | |
| R-5 | rural residential | rural residential |
| | Single-family or mobile home—7,000 sf | Single-family or mobile home—7,000 sf |
| R-5 Minimum area | Single-ramily or mobile nome—7,000 st | |

Anchorage Title 21: Zoning District Dimensional Standards Comparison June 5, 2008 Page 3 of 9

| Type of Dimensional Standard | Current Code | Proposed Code |
|---------------------------------|---|---|
| | 3 units—19,000 sf 4 units—25,000 sf 5 units or more—30,000 plus 5,000 sf for each unit over 5 | Nonresidential—43,560 sf |
| R-5 Setbacks | Front—20' Side—5' Rear—10' | Front—20' Side—5' Rear—10' |
| R-5 Building height | Unrestricted | Principal structure—30' Garage—25' Accessory structure—12' |
| R-5 Lot coverage | 30% | 30% |
| R-6 | suburban residential (large lot) | low density residential (1 acre) |
| R-6 Minimum area | Single-family—54,450 sf Two-family—108,900 sf 3 units—163,350 sf 4 units—217,800 sf 5 units or more—261,360 plus 1 acre per unit over 5 (all areas include half the abutting dedicated right-of-way) | Single-family dwelling—43,560 sf Two-family dwelling—87,120 sf Nonresidential—43,560 sf |
| R-6 Setbacks | Front—50' Side—25' Rear—50' | Front—50' Side—25' Rear—50' |
| R-6 Building height | Unrestricted | Principal structure—35' Garage—30' Accessory structure—25' |
| R-6 Lot coverage | 30% | 30% |
| R-7 | intermediate rural residential | single-family residential (20K) |
| R-7 Minimum area | 20,000 sf plus 20,000 sf for each unit over 1 | Single-family dwelling—20,000 sf Two-family dwelling—40,000 sf Nonresidential—20,000 sf |
| R-7 Setbacks | Front—25' Side—10' Rear—20' | Front—25' Side—10' Rear—20' |
| R-7 Building height | 35' | Principal structure—35' Garage—30' Accessory structure—25' |
| R-7 Lot coverage | 30% | 30% |
| R-8 | rural residential (large lot) | low density residential (4 acres) |
| R-8 Minimum area | Single-family—217,800 sf Two-family—326,700 sf (includes half the abutting dedicated right-of-way) | Single-family—174,240 sf Two-family—261,360 sf Nonresidential—174,240 sf |
| R-8 Setbacks | Front—25' Side—15' Rear—25' | Front—25' Side—15' Rear—25' |
| R-8 Building height | Principal structure—35' | Principal structure—35' |

Anchorage Title 21: Zoning District Dimensional Standards Comparison June 5, 2008 Page 4 of 9

| Type of Dimensional Standard | Current Code | Proposed Code |
|---------------------------------|--|--|
| | Garage—30' | Garage—30' |
| | Accessory structure—25' | Accessory structure—25' |
| R-8 Lot coverage | 5% | 5% |
| R-9 | rural residential | low density residential (2 acres) |
| R-9 Minimum area | Single-family—108,900 sf | Single-family-87,120 sf |
| | Two-family—163,350 sf | Two-family—130,680 sf |
| | (includes half the abutting dedicated right-of-way) | Nonresidential—87,120 sf |
| R-9 Setbacks | Front—25' | Front—25' |
| | Side—15' | Side—15' |
| | Rear—25' | Rear—25' |
| R-9 Building height | Principal structure—35' | Principal structure—35' |
| | Garage—30' | Garage—30' |
| | Accessory structure—25' | Accessory structure—25' |
| R-9 Lot coverage | 5% | 5% |
| R-10 | residential alpine/slope | low density residential alpine/slope |
| R-10 Minimum area | Average. Slope lot area | Average Slope lot area |
| | 15% or less .5 acres | 20% or less 1.25 acres |
| | 15.01-20% 1.25 acres | 20.01-25% 2.5 acres |
| | 20.01-25% 2.5 acres | 25.01-30% 5 acres |
| | 25.01-30% 5 acres | over 30% 7.5 acres |
| | over 30% 7.5 acres | |
| | (includes half the abutting dedicated right-of-way) | |
| R-10 Setbacks | Front—none | Front—10' |
| | Side—25' or 50' if average slope exceeds 30% | Side—25' or 50' if average slope exceeds 30% |
| | Rear-none | Rear—10' |
| R-10 Building height | Principal structure—30' | Principal structure—30' |
| 5 5 | Garage—25' | Garage—25' |
| | Accessory structure—18' | Accessory structure—18' |
| R-10 Lot coverage | Average Slope lot coverage | Average Slope lot coverage |
| 5 | 15% or less 25% | 20% or less 10% |
| | 15.01-20% 10% | 20.01-25% 8% |
| | 20.01-25% 8% | 25.01-30% 5% |
| | 25.01-30% 5% | over 30% 3% |
| | over 30% 3% | |
| B-1A | local and neighborhood business | local and neighborhood business |
| B-1A Minimum lot area | 6,000 sf | 6,000 sf |
| B-1A Setbacks | Residential uses | Front—10' |
| | Front—20' | Side—10' if adjacent to residential district; otherwise 0' or 5' |
| | Side—5' | Rear-15' if abutting residential district; 5' if across alley from |
| | Rear—10' | residential district; otherwise 10' |
| | Nonresidential uses | |
| | Front—20' | |
| | Side—20' if adjacent to residential district; otherwise 0' or 5' | |

| Type of Dimensional Standard | Current Code | Proposed Code |
|---------------------------------|--|---|
| | Rear—25' if adjoining residential district; otherwise 5' | |
| B-1A Building height | 25' | 30' |
| B-1A Lot coverage | Residential—40% | 50% |
| | Nonresidential—50% | |
| B-3 | general business | general business |
| B-3 Minimum lot area | Residential uses—same as R-4 district Nonresidential uses—6,000 sf | 6,000 sf |
| B-3 Setbacks | Residential uses—same as R-4 district Nonresidential uses Front—10' Side—10' if adjacent to residential district; otherwise 0' or 10' Rear—15' if adjacent to residential district; otherwise 0' | Front—10' Side—10' if adjacent to residential district; otherwise 0' or 10' Rear—15' if adjacent to residential district; otherwise 0' or 5' |
| B-3 Building height | Unrestricted | 45' |
| B-3 Lot coverage | Residential—same as R-4 district Nonresidential—unrestricted | Unrestricted |
| RO | residential-office | residential office |
| RO Minimum lot area | Single-family—6,000 sf Two-family—6,000 sf 3 to 10 units—6,000 sf 11+ units—14,000 sf and 2.0 Floor Area Ratio All other uses—6,000 sf | 6,000 sf |
| RO Setbacks | Front—10' Side—residential-5' plus 1' for each 5' exceeding 35' —non-residential-0' or 5' Rear—10' | Front—10' Side—10' if adjacent to residential district; otherwise 5' Rear—15' if adjacent to a residential district; otherwise 10' |
| RO Building height | Unrestricted | 45' |
| RO Lot coverage | Residential—50% Nonresidential—unrestricted | 50% |
| MC | marine commercial | marine commercial |
| MC Minimum lot area | Residential uses—same as R-4 district Nonresidential uses—6,000 sf | 6,000 sf |
| MC Setbacks | Residential uses—same as R-4 district <u>Nonresidential uses</u> Front—10' Side and Rear—0' or 5' (40' if abutting the bulkhead) | Front—10' Side and Rear—40' if abutting the bulkhead; otherwise 0' or 5' |
| MC Building height | 90' above mean sea level | 90' above mean sea level |
| MC Lot coverage | Residential—same as R-4 district Nonresidential—unrestricted | Unrestricted |
| NMU | | neighborhood mixed-use |
| NMU Minimum lot area | | 6,000 sf |
| NMU Setbacks | | Front—minimum 0'; maximum 20' Side—10' if adjacent to residential district; otherwise 0' or 5' Rear—15' if adjacent to residential district; otherwise 0' or 5' |

Anchorage Title 21: Zoning District Dimensional Standards Comparison June 5, 2008 Page 6 of 9

| Type of Dimensional Standard | Current Code | Proposed Code |
|--------------------------------------|---|---|
| NMU Building height | | 45' |
| NMU Lot coverage | | N/A (Maximum floor area ratio—0.5) |
| CMU | | community mixed-use |
| CMU Minimum lot area | | 6,000 sf |
| CMU Setbacks | | Front—minimum 0'; maximum 20' Side—10' if adjacent to residential district; otherwise 0' or 5' Rear—15' if adjacent to residential district; otherwise 0' or 5' |
| CMU Building height | | 60' |
| CMU Lot coverage | | N/A (Maximum floor area ratio—1.0) |
| RMU | | regional mixed-use |
| RMU Minimum lot area | | 6,000 sf |
| RMU Setbacks | | Front—minimum 0'; maximum 20' Side—10' if adjacent to residential district; otherwise 0' or 5' Rear—15' if adjacent to residential district; otherwise 0' or 5' |
| RMU Building height | | 60' |
| RMU Lot coverage | | N/A (Maximum floor area ratio—1.0) |
| I-1 | light industrial | light industrial |
| I-1 Minimum lot area | 6,000 sf | 6,000 sf |
| I-1 Setbacks | Front—10' Side and Rear—if adjoining residential district, setback shall be equal to that required in residential district; otherwise 0' or 5' Unrestricted, unless within 50' of a residential district boundary— | Front—10' Side and Rear—if adjacent to residential district, setback shall be equal to that required in residential district; otherwise 0' 50' |
| I-1 Lot coverage | same as residential height limit within that area Unrestricted | Unrestricted |
| | | |
| I-2 | heavy industrial | heavy industrial |
| I-2 Minimum lot area I-2 Setbacks | 6,000 sf Front—10' Side and Rear—if adjoining residential district, setback shall be twice that of the residential district; otherwise 0' or 5' | 6,000 sf Front—10' Side and Rear—if adjacent to residential district, setback shall be twice that of the residential district; otherwise 0' |
| I-2 Building height | Unrestricted, unless within 50' of a residential district boundary— same as residential height limit within that area | Unrestricted |
| I-2 Lot coverage | Unrestricted | Unrestricted |
| MI | marine industrial | marine industrial |
| MI Minimum lot area | 6,000 sf | 6,000 sf |
| MI Setbacks | Front—10' Side and Rear—0' or 5' (40' if abutting the bulkhead) | Front—10' Side and Rear—40' if abutting the bulkhead; otherwise 0' or 5' |
| MI Building height | Unrestricted, unless within 50' of a residential district boundary— same as residential height limit within that area | Unrestricted, unless within 50' of a residential district boundary—same as residential height limit within that area |
| MI Lot coverage | Unrestricted | Unrestricted |
| ٨ | | airport |
| Α | | |
| A Minimum lot area | | 4,000 sf |

Anchorage Title 21: Zoning District Dimensional Standards Comparison June 5, 2008 Page 7 of 9

| Type of Dimensional Standard | Current Code | Proposed Code |
|---------------------------------|--|--|
| A Building height | | Unrestricted |
| A Lot coverage | | Unrestricted |
| AF | antenna farm | antenna farm |
| AF Minimum lot area | 2 acres | 2 acres |
| AF Setbacks | Front—50' | Front—50' |
| | Side—25' | Side—25' |
| | Rear—25' | Rear—25' |
| AF Building height | | Unrestricted |
| AF Lot coverage | 50% | 50% |
| DR | | development reserve |
| DR Minimum lot area | | 5 acres |
| DR Setbacks | | Front, side, and rear setbacks shall be 25' when abutting PR, |
| | | PLI, or residential district; otherwise same as abutting district |
| DR Building height | | 35' |
| DR Lot coverage | | 20% |
| PLI | public lands and institutions | public lands and institutions |
| PLI Minimum lot area | 15,000 sf | 6,000 sf |
| PLI Setbacks | Front—when abutting PLI or residential district, 25' or front yard of abutting district, whichever is greater; otherwise same as abutting district Side—when abutting PLI or residential district, 25' or front yard of abutting district, whichever is greater; otherwise same as abutting district Rear—when abutting PLI or residential district, 30' or front yard of abutting district, whichever is greater; otherwise same as abutting district | Front, side, and rear setbacks shall be 25' when abutting PR, PLI, or residential district; otherwise same as abutting district |
| PLI Building height | Unrestricted, except where buildings exceed 35 feet in height adjacent to a residential use or district, the minimum setback requirement shall be increased one foot for each 1.5 feet in height exceeding 35 feet. | Unrestricted |
| PLI Lot coverage | Lots up to 1 acre—30% Lots 1 acre5 acres—35% Lots 3. 5 acres25 acres—40% Lots greater than 25 acres—45% | 45% |
| PR | | parks and recreation |
| PR Minimum lot area | | 6,000 sf |
| PR Setbacks | | Front, side, and rear setbacks shall be 25' when abutting PR, |
| DD Duilding heistelt | | PLI, or residential district; otherwise same as abutting district |
| PR Building height | | Unrestricted 45% |
| PR Lot coverage | | |
| R-11/TA | Turnagain arm | Turnagain arm |
| R-11/TA Minimum lot area | varies by use and sewer system type | varies by use and sewer system type |

Anchorage Title 21: Zoning District Dimensional Standards Comparison June 5, 2008 Page 8 of 9

| Type of Dimensional Standard | Current Code | Proposed Code |
|---------------------------------|---|---|
| R-11/TA Setbacks | Residential Front—20' Side—5' Rear—10' <u>Commercial</u> Front—10' Side—10' if adjacent to residential district; otherwise 5' Rear—15' if adjacent to residential district; otherwise 10' <u>Industrial</u> Front—10' Side and Rear—if adjoining residential district, setback shall be equal to that required in residential district; otherwise 0' or 5' <u>Institutional</u> Front—25' Side—10' Rear—15' | Front—25' Side—15' Rear—25' |
| R-11/TA Building height | 35', unless greater height allowed by conditional use | 35', unless greater height allowed by conditional use |
| R-11/TA Lot coverage | Residential uses Less than 1 dwelling unit per acre—30% 1-5 dwelling units per acre—30% 5+ dwelling units per acre—40% <u>Commercial uses</u> —70% <u>Industrial uses</u> —unrestricted <u>Institutional uses</u> —30% | Residential uses—20% Nonresidential uses—25% |
| W | watershed | watershed |
| W Minimum lot area | None | None |
| W Setbacks | None | None |
| W Building height | Unrestricted | 50' |
| W Lot coverage | Unrestricted | 5% |