2014 Capital Projects Bayshore/Klatt - Community Council Priority List Municipality of Anchorage

Area Wide - Parks and Recreation Projects

PRIORITY #		-			Additional
			Estimated	Funds on	Funds
			Cost	Hand	Required
		Multi-use Athletic Field Rehabilitation	\$600,000	\$0	\$600,000
	Scope:	Funds will be used to rehabilitate existing fields to a reasonable standard for all users and increase field amenit	ies to offer qua	lity statewide a	and local specta
_		and player use.	41.4		
	Need:	Athletic fields in Anchorage play an important role by promoting healthy recreational activities and helping youn play a significant role in statewide athletics. Anchorage is one location for the State Cup soccer competition, he			
		by local soccer clubs as well as little league and adult softball tournaments that draw teams into Anch	orage from ar	ound the regi	on and the st
		Accommodating the local and regional use of the athletic fields within the Municipality requires fields that can			
		seasons. Past use has resulted in large ruts and depressions, exposed soil and stones, and other hazards the	at have the po	tential to caus	e serious injur
	.	participants.	20.1	1 1 224 4	e e
	Status:	Anchorage has 110 athletic fields to serve the community and state needs for healthy sports activities. Funds and current field standards.	will be used to	renabilitate ex	sting fields to s
PRIORITY #		and current field Standards.			Additional
ricionii #			Estimated	Funds on	Funds
			Cost	Hand	Required
		Storm Damage Clean-up: Forest Health and Park Safety	\$200,000	\$0	\$200,000
	Scope:	Funds will be used to conduct a follow-up risk assessment, develop a recommended strategy for species manag	ement (cottony	ood, evergree	n, birch), finali:
		tree emergency plan and continue the clearing of hazard trees on parkland from the 2012 windstorm.			
	Need:	In September of 2012 more than 5000 trees were lost during a windstorm. Initial assessments estimate clean-	•		
		Urban Forester's plan to address the damage include a mix of volunteer clean-up, commercial sales and contract	ed clean-up. C	currently, park	assets are safe
	04-4	park and trail users, however as conditions change, follow-up risk assessment and clean-up is required.	vogo oitimono		
PRIORITY #	Status:	Park Maintenance and horticulture crews have cleared parks and trails making current park assets safe for Anche	rage citizeris.	1	Additional
FRIORITI#			Estimated	Funds on	Funds
			Cost	Hand	Required
		Campbell Creek Greenbelt	\$2,000,000	\$0	\$2,000,000
	Scope:	Asphalt repair, lighting assessment and improvements, bridge repair/replacement, signage improvements			•
	Need:	Anchorage has over 250 miles of paved trails. Current infrastructure is outdated, unsafe and in need of repair.	Trail use, both	summer and v	inter, will conti
		to increase and safety and quality condition of trail infrastructure and amenities needs to be a priority.			
	Status:	Bond funding and State legislative grant requests are pending. Areawide greenbelt trails (Campbell Creek Gr	eenbelt, Cheste	er Creek Gree	nbelt Coastal
l		and Ship Creek Trail) need a repair program to address safety and security concerns (over 250 miles).			

	Parks and F	Recreation Project			
PRIORITY #			Estimated Cost	Funds on Hand	Additional Funds Required
		South Anchorage Park	\$200,000	\$0	\$200,000
	Scope:	Funds will be used for planning, design, engineering and permitting for the potential development of a motoriz Park.	zed sports park	at the 70 acre	South Anchora
	Need:	The existing motorized facility located at the Jodhpur area of Kincaid Park are too small and are not compatib agree and also think that it is time to find an appropriate place for a motorsports park in the Anchorage bowl.	e with the neigh	borhood settir	ng. Most reside
	Status:	The Alaska State Sno-X Lions club approached the Parks & Recreation Department to try and find an a Anchorage. The Parks & Recreation Commission is considering their request to use Jodhpur at the March 20 considering options to find a more appropriate, permanent location in the Bowl.			
	Project Man	agement and Engineering Projects			
PRIORITY #			Estimated Cost	Funds on Hand	Additional Funds Required
		100th Ave Extension Phase II - Minnesota Dr to C St	\$17,112,500		\$7.686.430
		gutter, street lighting, storm drainage, pedestrian facilities, and landscaping. The project will also evaluate the intersections. Minor Arterial classification is being proposed for the new roadway. East/west traffic corridors south of Dimond Boulevard are limited between the Old Seward Highway and Minnes using Dimond Boulevard. The Corps of Engineers has accepted the project purpose and need. Working with the Corps on wetlands mit	sota Drive. As a	result, a high	volume of traff
		phases have been funded with a combination of local road bonds and a state grant. Construction anticipated funding.	to begin in 2014	i depending oi	
PRIORITY #			Estimated Cost	Funds on Hand	Additional Funds Required
		100th Ave Surface Rehab - Victor Rd to Minnesota Dr	\$1,100,000	\$0	\$1,100,000
	Scope:	This project will rehabilitate the surface of the roadway.	•	•	•
		The surface of the roadway is experiencing rutting, cracking, and pot holing.			
	Status:	Project funding is proposed with a combination of a state grant and local road bonds.	ı	1	IA I Per I
PRIORITY #			Estimated	Funds on Hand	Additional Funds
		92nd Ave Extension - King St to Old Seward Hwy	Cost \$18,000,000		\$18,000,000
	Scone.	Improvements would include a new road base, pavement, curbs, drainage, lighting, pedestrian facilities, signals			
		This project would complete an east/west transportation corridor serving the Dimond Center area. With the S			
	Noca.	Seward Highway, the need and useful of a continued connection to the west increases.	nate DOT 3 con	struction of ar	т инистриоо и

	7		Additional
	Estimated	Funds on	Funds
	Cost	Hand	Required
	+ //	\$0	\$12,600,000
	pected to inclu-	de pavement,	curbs, pedestri
Need: This road is identified as a minor arterial in the Official Streets and Highways Plan and is not currently	constructed. 7	his project is	a priority for t
	e Capital Proje	ct Needs List	for future fundi
And the Physic Fortunal transfer and the 400th Ann	Estimated Cost	Funds on Hand	Additional Funds Required
		* -	\$9,000,000
	es on both sides	s, and landsca	ping.
Status: This project has not started. No funding is programmed in the six-year CIP.	_	1	Additional
	Estimated	Funds on	Funds
APDSA Posidential Payament Pohabilitation - Senate District P Area			Required \$3.000.000
	+-,,	* -	+-,,
	iii exteria trie iii	or the road t	asc. Resultacii
Claudo, principal of the control of the grant farming to proposed.			Additional
	Estimated	Funds on	Funds
	Cost	Hand	Required
ARDSA Storm Drain System Condition Assessment and Rehabilitation Program	\$1,000,000	\$0	\$1,000,000
		systems and	
existing storm drain systems through CCTV video augmented by field inspection of pipe segments. The primal metal pipes and sections with suspect corrosion, flooding, and drainage issues. Inherent with any of these investigative staff to complete a condition survey, which may require cleaning debris from the storm drain pon segments that have or are near failure to the extent that funding is available. Other sections will be prioritize	ry focus of this stigative technion	project will be ques, it may by rehabilitatior	to concentrate be incumbent up will be comple
Need: There are approximately 2,213,000 linear feet of underground storm drain pipe in the Anchorage Road and D used prior 1990 and in some instances developers were creative and even used substitutes such as metal bar convey storm water from their properties. Much of the storm drain pipe that Anchorage has in the ground toda	rels/55 gallon d y is now deterio	rums laid end orated to the e	to end to diver
	Need: This road is identified as a minor arterial in the Official Streets and Highways Plan and is not currently Bayshore/Ralt Community Council. Status: No work is currently scheduled in the 6-year Capital Improvement Program. The project will remain on the consideration. Arctic Blvd Extension - 92nd Ave to 100th Ave Scope: Improvements are expected to include pavement, curb and gutter, storm drains, street lighting, pedestrian facilitie Need: This segment of Arctic is identified as a collector route in the OS&HP. Status: This project has not started. No funding is programmed in the six-year CIP. ARDSA Residential Pavement Rehabilitation - Senate District P Area Scope: This project will resurface local roads through reclaiming, overlaying, or rotomilling. Occasional spot dig outs and Need: There were many roads in the district that were rated as Condition E or F in the last GASB survey. Resurfacing w Status: This project has not started. State grant funding is proposed. ARDSA Storm Drain System Condition Assessment and Rehabilitation Program Scope: This project will investigate/assess the condition of the Anchorage Roads and Drainage Service Area (ARDS system segments as the needs are identified and prioritized. This goal will be accomplished by evaluating the existing storm drain systems through CCTV video augmented by field inspection of pipe segments. The primar metal pipes and sections with suspect corrosion, flooding, and drainage issues. Inherent with any of these inve the investigative staff to complete a condition survey, which may require cleaning debris from the storm drain p on segments that have or are near failure to the extent that funding is available. Other sections will be prioritize program. Need: There are approximately 2,213,000 linear feet of underground storm drain pipe in the Anchorage Road and Drused prior 1990 and in some instances developers were creative and even used substitutes such as metal bar convey storm water from their properties. Much of the storm drain pipe in the	Scope: This project will construct the missing transportation link to urban arterial standards. Improvements are expected to include facilities, street lighting, storm drainage, and landscaping. Need: This road is identified as a minor arterial in the Official Streets and Highways Plan and is not currently constructed. The Bayshore/Klatt Community Council. Status: No work is currently scheduled in the 6-year Capital Improvement Program. The project will remain on the Capital Project consideration. Estimated Cost Scope: Improvements are expected to include pavement, curb and gutter, storm drains, street lighting, pedestrian facilities on both sides Need: This segment of Arctic is identified as a collector route in the OS&HP. Status: This project will resurface local roads through reclaiming, overlaying, or rotomilling. Occasional spot dig outs and some curb repse. Need: There were many roads in the district that were rated as Condition E or F in the last GASB survey. Resurfacing will extend the lift Status: This project will investigate/assess the condition of the Anchorage Roads and Drainage Service Area (ARDSA) storm drain system segments as the needs are identified and prioritized. This goal will be accomplished by evaluating the degree of dege existing storm drain systems through CCTV video augmented by field inspection of pipe segments. The primary focus of this metal pipes and sections with suspect corosion, flooding, and drainage issues. Inherent with any of these investigative technic the investigative staff to complete a condition survey, which may require cleaning debris from the storm drain pipe. Emergency on segments that have or are near failure to the extent that funding is available. Other sections will be prioritized to be included program. Need: There are approximately 2,213,000 linear feet of underground storm drain pipe in the Anchorage Road and Drainage Service used prior 1990 and in some instances developers were creative and even used substitutes such as metal barrels/55 gallon d conve	Scope: This project will construct the missing transportation link to urban arterial standards. Improvements are expected to include pavement, facilities, street lighting, storm drainage, and landscaping. Need: This road is identified as a minor arterial in the Official Streets and Highways Plan and is not currently constructed. This project is Bayshore/Klatt Community Council. Status: No work is currently scheduled in the 6-year Capital Improvement Program. The project will remain on the Capital Project Needs List consideration. Estimated Cost Hand Sayshore/Klatt Community Council. Status: No work is currently scheduled in the 6-year Capital Improvement Program. The project will remain on the Capital Project Needs List consideration. Estimated Cost Hand Sayshore/Klatt Community Council. Status: No work is currently scheduled in the 6-year Capital Improvement Program. The project will remain on the Capital Project Needs List consideration. Estimated Cost Hand Sayshore/Klatt Community Council. Status: This project has not started. No funding is programmed in the six-year CIP. Status: This project has not started. No funding is programmed in the six-year CIP. Estimated Cost Hand Sayshore/Klatt Funds on Cost Hand ARDSA Residential Pavement Rehabilitation - Senate District P Area Sayshory. Resurdacing will resurface local roads through reclaiming, overlaying, or rotomilling, Occasional spot dig outs and some curb repair work is also Need: There were many roads in the district that were rated as Condition E or F in the last GASB survey. Resurfacing will extend the life of the road is Status. This project will investigate/assess the condition of the Anchorage Roads and Drainage Service Area (ARDSA) storm drain systems and existing storm drain systems through CCTV video augmented by field inspection of pipe segments. The primary focus of this project will be metal pipes and sections with suspect corrosion, flooding, and drainage issues. Inherent with any of these investigative staff to complete a condition s

PRIORITY #			Estimated Cost	Funds on Hand	Additional Funds Required
		Canton Loop Surface Rehab and Drainage	\$200,000	\$0	\$200,000
	Scope:	Re-grade the roadway creating the needed slope for flow to the drainage system. Make changes to the curre	ent drainage system	as needed to	accommodate t
		regrading. Repair the curb where it has separated from the asphalt.			
	Need:	Settlement over time has caused the drainage to become trapped in the northwest cul-de-sac of the loop	. The grade of the	streets needs	to be adjusted
	0 : :	create flow. Some of the curb has deteriorated.			
DDIODITY #	Status:	No work is currently planned. The project will remain on the Capital Project Needs List for future funding cons	sideration.		Additional
PRIORITY #			Estimated Cost	Funds on Hand	Funds Required
		Lakeview Terrace Subdivision Area Street Reconstruction	\$6.000.000	\$0	\$6,000,000
	Scope:	This project will reconstruct the streets of Lakeview Terrace Subdivision. Improvements are expected to inclu	+-,,	T -	
	Ссорс.	system with curb and gutter, street lighting, landscaping, and pedestrian facilities if warrant		o, .op.aoo	
	Need:	The streets in this neighborhood suffer from the lack of proper drainage. The road base has deteriorated to	the point that it mus	st be reconstru	cted as eviden
		by severe frost heaving and cracking and pot holing in the pavement surface. In addition, there is separation			
	Status:	This project has not started. State grant funding is proposed.			
PRIORITY #					Additional
			Estimated	Funds on	Funds
			Cost	Hand	Required
		Portage Dr and Cir Reconstruction RID - Shore Dr to north end	\$1,800,000	\$0	\$1,800,000
	Scope:	Reconstruct local roads.		•	•
		These local roads are deteriorating.			
		This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu			
		This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu 90/10 Reconstruction Road Improvement District Program in which property owners initiate the project a			
		This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu			ts through spe
PRIORITY #		This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu 90/10 Reconstruction Road Improvement District Program in which property owners initiate the project a	nd agree to pay 1	0% of the cos	ts through spe
PRIORITY #		This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu 90/10 Reconstruction Road Improvement District Program in which property owners initiate the project a	nd agree to pay 1	0% of the cos	Additional Funds
PRIORITY#		This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu 90/10 Reconstruction Road Improvement District Program in which property owners initiate the project a assessments.	Estimated	0% of the cos Funds on Hand	Additional Funds Required
PRIORITY#	Status:	This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu 90/10 Reconstruction Road Improvement District Program in which property owners initiate the project a assessments. Shore Dr Storm - Skyway Park Estates Subd to Botanical Heights Subd	nd agree to pay 1	0% of the cos	Additional Funds
PRIORITY#	Status:	This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu 90/10 Reconstruction Road Improvement District Program in which property owners initiate the project a assessments. Shore Dr Storm - Skyway Park Estates Subd to Botanical Heights Subd This project will install storm drains to connect these subdivisions.	Estimated	0% of the cos Funds on Hand	Additional Funds Required
PRIORITY #	Scope:	This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu 90/10 Reconstruction Road Improvement District Program in which property owners initiate the project a assessments. Shore Dr Storm - Skyway Park Estates Subd to Botanical Heights Subd This project will install storm drains to connect these subdivisions. Drainage problems exist in this area.	Estimated Cost \$900,000	Funds on Hand	Additional Funds Required \$900,000
PRIORITY #	Scope:	This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu 90/10 Reconstruction Road Improvement District Program in which property owners initiate the project a assessments. Shore Dr Storm - Skyway Park Estates Subd to Botanical Heights Subd This project will install storm drains to connect these subdivisions. Drainage problems exist in this area. No work is currently scheduled in the 6-year Capital Improvement Program. The project will remain on	Estimated Cost \$900,000	Funds on Hand	Additional Funds Required \$900,000
	Scope:	This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu 90/10 Reconstruction Road Improvement District Program in which property owners initiate the project a assessments. Shore Dr Storm - Skyway Park Estates Subd to Botanical Heights Subd This project will install storm drains to connect these subdivisions. Drainage problems exist in this area.	Estimated Cost \$900,000	Funds on Hand	Additional Funds Required \$900,000
PRIORITY #	Scope:	This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu 90/10 Reconstruction Road Improvement District Program in which property owners initiate the project a assessments. Shore Dr Storm - Skyway Park Estates Subd to Botanical Heights Subd This project will install storm drains to connect these subdivisions. Drainage problems exist in this area. No work is currently scheduled in the 6-year Capital Improvement Program. The project will remain on	Estimated Cost \$900,000	Funds on Hand \$0 tt Needs List	Additional Funds Required \$900,000 for future func
	Scope:	This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu 90/10 Reconstruction Road Improvement District Program in which property owners initiate the project a assessments. Shore Dr Storm - Skyway Park Estates Subd to Botanical Heights Subd This project will install storm drains to connect these subdivisions. Drainage problems exist in this area. No work is currently scheduled in the 6-year Capital Improvement Program. The project will remain on	Estimated Cost \$900,000 the Capital Proje Estimated	Funds on Hand \$0 Ct Needs List Funds on	Additional Funds Required \$900,000 Additional Funds Future funds
	Scope:	This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu 90/10 Reconstruction Road Improvement District Program in which property owners initiate the project a assessments. Shore Dr Storm - Skyway Park Estates Subd to Botanical Heights Subd This project will install storm drains to connect these subdivisions. Drainage problems exist in this area. No work is currently scheduled in the 6-year Capital Improvement Program. The project will remain on consideration.	Estimated Cost \$900,000 the Capital Proje Estimated Cost	Funds on Hand \$0 The cos Funds on Hand Funds on Hand Funds on Hand	Additional Funds Required \$900,000 for future fund Additional Funds Required Required
	Scope: Need: Status:	This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu 90/10 Reconstruction Road Improvement District Program in which property owners initiate the project a assessments. Shore Dr Storm - Skyway Park Estates Subd to Botanical Heights Subd This project will install storm drains to connect these subdivisions. Drainage problems exist in this area. No work is currently scheduled in the 6-year Capital Improvement Program. The project will remain on consideration. Shore Dr/Juniper Dr Storm - Portage Dr to Klatt Elementary	Estimated Cost \$900,000 the Capital Proje Estimated	Funds on Hand \$0 Ct Needs List Funds on	Additional Funds Required \$900,000 Additional Funds
	Scope: Scope: Scope: Scope:	This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu 90/10 Reconstruction Road Improvement District Program in which property owners initiate the project a assessments. Shore Dr Storm - Skyway Park Estates Subd to Botanical Heights Subd This project will install storm drains to connect these subdivisions. Drainage problems exist in this area. No work is currently scheduled in the 6-year Capital Improvement Program. The project will remain on consideration. Shore Dr/Juniper Dr Storm - Portage Dr to Klatt Elementary This project will construct storm drains.	Estimated Cost \$900,000 the Capital Proje Estimated Cost	Funds on Hand \$0 The cos Funds on Hand Funds on Hand Funds on Hand	Additional Funds Required \$900,000 for future fund Additional Funds Required Required
	Scope: Need: Status:	This project has not started and no funding is proposed in the six-year Capital Improvement Program. Fu 90/10 Reconstruction Road Improvement District Program in which property owners initiate the project a assessments. Shore Dr Storm - Skyway Park Estates Subd to Botanical Heights Subd This project will install storm drains to connect these subdivisions. Drainage problems exist in this area. No work is currently scheduled in the 6-year Capital Improvement Program. The project will remain on consideration. Shore Dr/Juniper Dr Storm - Portage Dr to Klatt Elementary	Estimated Cost \$900,000 the Capital Proje Estimated Cost \$900,000	Funds on Hand \$0 tt Needs List Funds on Hand \$50	Additional Funds Required \$900,000 for future funds Additional Funds Required \$900,000

PRIORITY#	Timb calons Droot North Klatt Dd Intercontion Cofety	Estim Cost		Funds on Hand	Additional Funds Required
	Timberlane Dr at North Klatt Rd Intersection Safety	\$60,0	00	\$0	\$60,000
	Scope: Scope will be identified in a design study phase once funding is provided.				
	Need: Safety concerns have been raised regarding this intersection.				
	Status: No work is underway or scheduled in the six-year Capital Improvement Program. The project will remain consideration.	on the Capi	al Proj	ect Needs List	for future func
	State Road Projects				
PRIORITY #				1	Additional
i idoidi i #		Estim	ated	Funds on	Funds
	Dimond Blvd Pedestrian and Landscaping Improvements - Jewel Lake Rd to	Old Cost		Hand	Required
	Seward Hwy	\$0		\$0	\$0
	Scope: This project will construct improvements to the pedestrian facilities and landscaping along Dimond Bouleva	~ ~		Ψ.	Ψ"
	Need: Interest has been expressed in expanding the pedestrian and landscape improvements along Dimond Bould				
	Status: No work is currently scheduled in the 6-year Capital Improvement Program. This is a state owned facility	and evaluation	n and	fundina would	be by the Stat
	Alaska.			· · · · · · · · · · · · · · · · · · ·	,
PRIORITY #					Additional
		Estim	ated	Funds on	Funds
		Cost		Hand	Required
	Dimond Blvd Rut Repair - Jewel Lake Rd to Arctic Blvd	\$10,0	00,000	\$0	\$10,000,000
	Scope: This project will rehabilitate the pavement.	*		*	*
	Need: Pavement is deteriorating on this road with increasing traffic.				
	Status: No work is currently scheduled in the 6-year Capital Improvement Program. This is a state owned facility Alaska. This project is included in the AMATS TIP as a need.	and evaluation	n and	funding would	be by the Stat
PRIORITY #					Additional
		Estim	ated	Funds on	Funds
	Minnesota Dr/O'Malley Rd Moose Mitigation Fencing - International Airport I	Rd to Cost		Hand	Required
	New Seward Hwy	\$0		\$0	\$0
	Scope: Construct moose mitigation fencing on both sides of Minnesota Dr/O'Malley Rd from International Airport Ro allow moose to migrate without becoming a hazard to drivers.	to the New S	Seward	Hwy. Install "s	afe" crossings
	Need: The presence of moose on this high-speed route is an ever-present danger for motorists. Numerous moo injury and property damage. This project is a priority for the Taku/Campbell Community Council.	se related ac	cidents	occur annually	causing pers
	Status: No work is underway and no funding is proposed in the six-year Capital Improvement Program. This is a	state-owned fa	acility a	nd evaluation	and funding w
	be by the State of Alaska. The project will remain on the Capital Projects Needs List for future funding cons		,		· ·
PRIORITY #					Additional
		Estim	ated	Funds on	Funds
		Cost		Hand	Required
	Old Klatt Rd Rut and Trail Repair - Timberlane Dr to Victor Rd	\$1,10	0,000	\$0	\$1,100,000
	Scope: Replace or overlay the pavement.			•	•
	Need: Pavement on this collector route is deteriorating.				
	Status: No work is underway or scheduled in the six-year Capital Improvement Program. This is a state-owned fac	lity and evalu	ation a	nd funding wou	uld be by the S
	of Alaska. The route is designated as a collector in the Official Streets and Highways Plan (OS&HP).	-		•	•

PRIORITY #			Estimated Cost	Funds on Hand	Additional Funds Required
		Old Klatt Rd Upgrade - Timberlane Dr to Victor Rd	\$9,500,000	\$0	\$9,500,000
		Improvements are expected to include a new road base, pavement, curbs, pedestrian facilities, storm drains, stree			
	Need:	This state-owned collector route has deteriorated to the point that maintenance is no longer cost effective. Bayshore/Klatt Community Council for state-owned roads.	This project i	s the number	2 priority of the
	Status:	No work is underway or scheduled in the six-year Capital Improvement Program. This is a state-owned facility and of Alaska. The route is designated as a collector in the Official Streets and Highways Plan (OS&HP).	d evaluation an	d funding woul	•
PRIORITY #			Estimated	Funds on	Additional Funds
		Olimpiles, Dd Intershap and et Old and New Courand Hurris	Cost	Hand	Required
<u> </u>		O'Malley Rd Interchanges at Old and New Seward Hwys		\$0	\$60,600,000
		This project will construct a separated interchange at the Old Seward Highway and upgrade the New Seward High	way interchang	je.	
		Increasing traffic is expected to push these intersections beyond their current capacity.	dlti	al formation arrays	al la a la costa a Ostato
	Status:	No work is underway or scheduled in the six-year Capital Improvement Program. This is a state-owned facility and of Alcaka. This project is identified in the Metropolitan Transportation Plan (MTP)	a evaluation an	a tunaing woul	d be by the State
PRIORITY #		of Alaska. This project is identified in the Metropolitan Transportation Plan (MTP).	1	1	Additional
PRIORIT #			Estimated	Funds on	Funds
			Cost	Hand	Required
		Seward Hwy at 92nd Ave Grade Separation - Old Seward Hwy to Abbott Rd		\$20,000,000	\$40,000,000
	Scope:	Construct a minor arterial with an underpass at the New Seward Hwy. Improvements are expected to include p	avement, curb	and gutter, sto	orm drains, stree
		lights, pedestrian facilities on both sides, and possible landscaping. The final scope will be determined during the			
	Need:	The Dimond Center area is one of the most congested in the city. Creating alternatives is the top priority for the priority for the State of Alaska as well. This project will enhance traffic circulation by taking significant load off Dimo		Community C	ouncil and a high
	Status:	Design is funded and underway by the State of Alaska. The State project has three main components: a) An ur	derpass at 92r	nd Ave, b) upg	rading 92nd Ave
		(Abbott Rd) west to the Old Seward Hwy, and c) upgrading 92nd Ave (Academy St) east to Vanguard Dr.	The western s	ection will be	constructed first
		Construction is anticipated in 2014 depending on the availability of funding. The other sections may be construct Seward Highway.	ed in conjuncti	on with the up	grade of the Nev
PRIORITY #					Additional
			Estimated	Funds on	Funds
			Cost	Hand	Required
		Seward Hwy Expansion - Dimond Blvd to O'Malley Rd		\$0	\$70,000,000
	Scope:	Improvements are expected to include expanding the road to 3-lanes in each direction, an underpass at 92nd connection to the Old Seward Highway.	Avenue, and a	westside from	ntage road with a
		Traffic already exceeds the capacity of the existing facility.			
	Status:	A major investment study has been completed by the State of Alaska. This is a state-owned facility and evaluati Alaska. The route is identified as a freeway in the Official Streets and Highways Plan (OS&HP).	on and future f	unding would b	e by the State o