

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01131] Surveyor: [C&GS]

Book-Page: [0- 0] LS Number: []

Recvy Date: [8/10/89] Monument Name: [L 83]

Maint Date: [/ /] Monument Cond: [GOOD]

Grids: [NW655] Status Code: [V] (C,G,V)

Township: T 0N, R 0W, SM Sec 0 Type Code:[13] 3-1/4" Brass cap

Subdivision: [] Corner:[]

S.I. Locate: [] Legal:[]

Dig X Coord: [0] SP X Coord: [] 1 Order, 1 Class

Dig Y Coord: [0] SP Y Coord: []

SP Z Coord: [480.99]Datum: 1972 Adjustment

GPS Code: [N] Inertial Code: [Y] Photo Code: []

Proj. Name: []

Comments or Markings:

Description:

[Beginning at the intersection of the Old Glenn Hwy and Business Park Blvd;]

[thence 3.1 miles northeast along the Old Glenn Hwy. Near the top of the]

[grade. Across the Old Glenn Hwy from a one story concrete block building]

[with a sign "KINGDOM HALL OF JEHOVAH'S WITNESS" on south side. Bench Mark]

[is 108 feet southeast of the southeasterly corner of said building and]

[66 1/2 feet east northeast of a metal luminaire pole northeast of the drive]

[way leading to the concrete block building. Bench Mark is 34 feet easterly]

[of the centerline of pavement and 0.7 feet below ground in a 4" Orangeburg]

[pipe. Bench Mark is approximately 8 feet west of the shoulder of the hwy.]

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01133] Surveyor: [USC & GS]

Book-Page: [0- 0] LS Number: []

Recvy Date: [8/14/87] Monument Name: [N 83]

Maint Date: [/ /] Monument Cond: [GOOD]

Grids: [NW956] Status Code: [V] (C,G,V)

Township: T 0N, R 0W, SM Sec 0 Type Code:[13] 3-1/4" Brass cap

Subdivision: [] Corner:[]

S.I. Locate: [] Legal:[]

Dig X Coord: [0] SP X Coord: [] 1 Order, 1 Class

Dig Y Coord: [0] SP Y Coord: []

SP Z Coord: [455.40]Datum: 1972 Adjustment

GPS Code: [] Inertial Code: [] Photo Code: []

Proj. Name: []

Comments or Markings:

Description:

[0.9 mile SW along State Highway 1 from the post office at Chugiak. 32 feet]

[NW of centerline of the highway. 6 feet SW of telephone pole #10586.]

[0.5 foot NW of a steel witness post. About 2 feet lower than the highway]

[and is a disk clamped to the top of a copper coated rod driven to a]

[depth of 17 feet and encased in a 4 inch orangeburg pipe projecting 0.7]

[foot.]

[("State Highway 1" = Old Glenn Highway)]

[Monument is across Old Glenn Hwy from the office of Klondike Concrete.]

D-15

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01611] Surveyor: [DOWL
Book-Page: [0- 0] LS Number: []
Recvy Date: [/ /] Monument Name: [MOA E-23]
Maint Date: [/ /] Monument Cond: []
Grids: [NW854] Status Code: [V] (C,G,V)
Township: T 0N, R 0, SM Sec 0 Type Code:[18] 1/2" Anchor bolt
Subdivision: [] Corner:[]
S.I. Locate: [] Legal:[]
Dig X Coord: [] SP X Coord: [] 2 Order, 2 Class
Dig Y Coord: [] SP Y Coord: []
SP Z Coord: [] Datum: 1972 Adjustment
GPS Code: [] Inertial Code: [] Photo Code: []
Proj. Name: []

Comments or Markings:

[
Description:
[At the Birchwood Loop Elementary School building. The mark is on the most
[easterly face of a 51.5 foot by 76.7 foot gymnasium. The mark is 1.0 feet
[south of the northeast corner and 1.0 feet above grade. The mark is a
[1/2" x 3-3/4" anchor bolt with a 2" diameter washer. Use top of threads
[for elevation.
[
[
[
[

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01612] Surveyor: [DOWL
Book-Page: [0- 0] LS Number: []
Recvy Date: [/ /] Monument Name: [MOA E-24]
Maint Date: [/ /] Monument Cond: []
Grids: [NW854] Status Code: [V] (C,G,V)
Township: T 0N, R 0, SM Sec 0 Type Code:[18] 1/2" Anchor bolt
Subdivision: [] Corner:[]
S.I. Locate: [] Legal:[]
Dig X Coord: [] SP X Coord: [] 2 Order, 2 Class
Dig Y Coord: [] SP Y Coord: []
SP Z Coord: [] Datum: 1972 Adjustment
GPS Code: [] Inertial Code: [] Photo Code: []
Proj. Name: []

Comments or Markings:

[
Description:
[At the Chugiak High School building. The mark is on the southwest face of
[a concrete block gymnasium, 23.1 feet southeast of the northwest corner of
[said gymnasium. The mark is 1.0 feet above grade. The mark is a 1/2" x
[3-3/4" anchor bolt with a 2" diameter washer. Use top of threads for
[elevation.
[
[
[
[

D-16

MITS V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01600] Surveyor: [DOWL]
Book-Page: [0- 0] LS Number: []
Recvy Date: [/ /] Monument Name: [MOA E-11]
Maint Date: [/ /] Monument Cond: []
Grids: [NW856] Status Code: [V] (C,G,V)
Township: T 0N, R 0, SM Sec 0 Type Code:[18] 1/2" Anchor bolt
Subdivision: [] Corner:[]
S.I. Locate: [] Legal:[]
Dig X Coord: [0] SP X Coord: [] 2 Order, 2 Class
Dig Y Coord: [0] SP Y Coord: []
SP Z Coord: [523.18] Datum: 1972 Adjustment
GPS Code: [] Inertial Code: [] Photo Code: []
Proj. Name: []

Comments or Markings:

Description:
[Beginning at the intersection of the Old Glenn Highway and the North
[Eagle River Access Road; thence northeasterly along the Old Glenn
[Highway 2.6 miles to the intersection of the Old Glenn Highway and
[Laughlin Street; thence easterly along Laughlin Street 205 feet; thence
[northerly 75.0 feet to a 100.7 foot by 48.0 foot concrete block and
[wood building. The mark is on the west face of said building, 0.5 feet
[south of the northwest corner of said building, and 1.0 feet above grade.
[The mark is a 1/2" x 3-3/4" anchor bolt with a 2" diameter washer. Use
[top of threads for elevation.

MITS V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01601] Surveyor: [DOWL]
Book-Page: [0- 0] LS Number: []
Recvy Date: [/ /] Monument Name: [MOA E-12]
Maint Date: [/ /] Monument Cond: []
Grids: [NW856] Status Code: [V] (C,G,V)
Township: T 0N, R 0, SM Sec 0 Type Code:[18] 1/2" Anchor bolt
Subdivision: [] Corner:[]
S.I. Locate: [] Legal:[]
Dig X Coord: [0] SP X Coord: [] 2 Order, 2 Class
Dig Y Coord: [0] SP Y Coord: []
SP Z Coord: [498.72] Datum: 1972 Adjustment
GPS Code: [] Inertial Code: [] Photo Code: []
Proj. Name: []

Comments or Markings:

Description:
[Beginning at the intersection of the Old Glenn Highway and the North
[Eagle River Access Road; thence northeasterly along the Old Glenn
[Highway 3.1 miles to a large wood and concrete block building on the
[east side of the road occupied by the Moosehorn Service Station.
[Beginning at the extreme southwest corner of said building; thence north
[easterly along the building line 57.2 feet to an inside corner; thence
[northwesterly along building line 5.7 feet to the mark. The mark is 1.2
[feet above grade. The mark is a 1/2" x 3-3/4" anchor bolt with a 2"
[diameter washer. Use top of threads for elevation.

D-17

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01609] Surveyor: [DOWL
Book-Page: [0- 0] LS Number: []
Recvy Date: [/ /] Monument Name: [MOA E-21]
Maint Date: [/ /] Monument Cond: []
Grids: [NW1054] Status Code: [V] (C,G,V)
Township: T 0N, R 0, SM Sec 0 Type Code:[19] Deep Bench
Subdivision: [] Corner:[]
S.I. Locate: [] Legal:[]
Dig X Coord: [0] SP X Coord: [] 2 Order, 2 Class
Dig Y Coord: [0] SP Y Coord: []
SP Z Coord: [173.20] Datum: 1972 Adjustment
GPS Code: [] Inertial Code: [] Photo Code: []
Proj. Name: []

Comments or Markings:

Description:

[Beginning at the intersection Birchwood Loop Road and Richer Road; thence]
[southwesterly along Birchwood Loop Road 64.0 feet; thence southeasterly]
[35.0 feet to the mark. The mark is also 15.0 feet southwest and 3.0 feet]
[southeast of an anchor pole. The mark is a 2 1/2" brass cap set on a 5/8"]
[Copperweld rod driven to refusal at a depth of 25.0 feet. The rod is]
[encased in a 6" PVC pipe to a depth of 1-1/2 feet with 1/2 foot protruding]
[above ground. Mark is witnessed by a red and white, 2" x 4" post, 3 feet]
[high. Use top of dome for elevation.]
[]
[]

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01610] Surveyor: [DOWL
Book-Page: [0- 0] LS Number: []
Recvy Date: [/ /] Monument Name: [MOA E-22]
Maint Date: [/ /] Monument Cond: []
Grids: [NW954] Status Code: [V] (C,G,V)
Township: T 0N, R 0, SM Sec 0 Type Code:[18] 1/2" Anchor bolt
Subdivision: [] Corner:[]
S.I. Locate: [] Legal:[]
Dig X Coord: [0] SP X Coord: [] 2 Order, 2 Class
Dig Y Coord: [0] SP Y Coord: []
SP Z Coord: [203.83] Datum: 1972 Adjustment
GPS Code: [] Inertial Code: [] Photo Code: []
Proj. Name: []

Comments or Markings:

Description:

[Beginning at the intersection of Birchwood Loop Road and Birch Tree]
[Street; thence southerly along Birch Tree Street 0.10 miles; thence]
[westerly to the southeast corner of a wood frame building with a concrete]
[block foundation occupied by Grace Brethren Church. The mark is on the]
[south face of the concrete block foundation 1.0 feet west of the southeast]
[corner and 2.3 feet above ground. The mark is a 1/2" x 3-3/4" anchor]
[bolt with a 2" diameter washer. Use top of threads for elevation.]
[]
[]
[]

D-18

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01602] Surveyor: [DOWL]
 Book-Page: [0- 0] LS Number: []
 Recvy Date: [/ /] Monument Name: [MOA E-14]
 Maint Date: [/ /] Monument Cond: []
 Grids: [NW1057] Status Code: [V] (C,G,V)
 Township: T 0N, R 0, SM Sec 0 Type Code:[18] 1/2" Anchor bolt
 Subdivision: [] Corner:[]
 S.I. Locate: [] Legal:[]
 Dig X Coord: [0] SP X Coord: [] 2 Order, 2 Class
 Dig Y Coord: [0] SP Y Coord: []
 SP Z Coord: [378.24] Datum: 1972 Adjustment
 GPS Code: [] Inertial Code: [] Photo Code: []
 Proj. Name: []

Comments or Markings:

[
 Description:
 [Beginning at the intersection of the Old Glenn Highway and the North
 [Eagle River Access Road; thence northeasterly along the Old Glenn Highway
 [4.2 miles; thence, northerly 172 feet to the southeast corner of a
 [concrete block building occupied by Chugiak Children's Services; thence
 [northerly along building line 64.0 feet to the mark, centered on the east
 [face of a concrete pilaster located a the northeast corner of said
 [building. The mark is 3.0 feet above grade. The mark is a 1/2" x 3-3/4"
 [anchor bolt with a 2" diameter washer. Use top of threads for elevation.
]
]
]

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01608] Surveyor: [DOWL]
 Book-Page: [0- 0] LS Number: []
 Recvy Date: [/ /] Monument Name: [MOA E-20]
 Maint Date: [/ /] Monument Cond: []
 Grids: [NW1155] Status Code: [V] (C,G,V)
 Township: T 0N, R 0, SM Sec 0 Type Code:[19] Deep Bench
 Subdivision: [] Corner:[]
 S.I. Locate: [] Legal:[]
 Dig X Coord: [0] SP X Coord: [] 2 Order, 2 Class
 Dig Y Coord: [0] SP Y Coord: []
 SP Z Coord: [235.36] Datum: 1972 Adjustment
 GPS Code: [] Inertial Code: [] Photo Code: []
 Proj. Name: []

Comments or Markings:

[
 Description:
 [Beginning at the intersection of Inlet View Drive and Birchwood Loop Road;]
 [thence easterly along Birchwood Loop Road 10.5 feet; thence southerly 31.0]
 [feet to the mark. The mark is also 26.5 feet north and 8.5 feet west of]
 [power pole BR16. The mark is a 2 1/2" brass cap on 5/8" Copperweld rod]
 [driven to refusal at a depth of 15.0 feet. The rod is encased in a 6" PVC]
 [pipe to a depth of 1-1/2 feet with 1/2 foot protruding above ground. Mark]
 [is witnessed by a red and white, 2" x 4" post, 3 feet high. Use top of]
 [dome for elevation.]
]
]
]

D-19

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01136] Surveyor: [C&GS
 Book-Page: [0- 0] LS Number: []
 Recvy Date: [8/15/89] Monument Name: [Q 83]
 Maint Date: [/ /] Monument Cond: [GOOD]
 Grids: [NW1159] Status Code: [V] (C,G,V)
 Township: T 0N, R 0W, SM Sec 0 Type Code:[13] 3-1/4" Brass cap
 Subdivision: [] Corner:[]
 S.I. Locate: [] Legal:[]
 Dig X Coord: [0] SP X Coord: [] 1 Order, 1 Class
 Dig Y Coord: [0] SP Y Coord: []
 SP Z Coord: [441.70]Datum: 1972 Adjustment
 GPS Code: [N] Inertial Code: [N] Photo Code: []
 Proj. Name: []

Comments or Markings:

[
 Description:
 [At the south west quadrant of the Old Glenn Hwy and Skyview Ave. Approx-
 [imately 45 feet south of the centerline of a gravel road leading west and
 [56 feet west of the centerline of the Old Glenn Hwy and 6 feet above the
 [highway. Benchark is in top of a rock out crop. Bench Mark is 5 feet east
 [of a 6 foot high chainlink fence and 3 1/4 feet southwest of a power pole
 [with no number and a down guy to southwest.
 [
 [
 [
 [

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01137] Surveyor: [USC & GS
 Book-Page: [0- 0] LS Number: []
 Recvy Date: [8/17/87] Monument Name: [R 83]
 Maint Date: [/ /] Monument Cond: [GOOD]
 Grids: [NW1259] Status Code: [V] (C,G,V)
 Township: T 0N, R 0W, SM Sec 0 Type Code:[13] 3-1/4" Brass cap
 Subdivision: [] Corner:[]
 S.I. Locate: [] Legal:[]
 Dig X Coord: [0] SP X Coord: [] 1 Order, 1 Class
 Dig Y Coord: [0] SP Y Coord: []
 SP Z Coord: [287.56]Datum: 1972 Adjustment
 GPS Code: [] Inertial Code: [] Photo Code: []
 Proj. Name: []

Comments or Markings:

[
 Description:
 [1.6 miles NE along State Highway 1 from the post office at Chugiak. Set in
 [the top center of the east wing wall for the steel truss bridge over
 [Peters Creek. 15 feet SE of the centerline of the highway. About 2 feet
 [higher than the ground and about level with the highway.
 [{"State Highway 1" = Old Glenn Highway)
 [
 [
 [
 [

D-20

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01603] Surveyor: [DOWL]]
 Book-Page: [0- 0] LS Number: []]
 Recvy Date: [/ /] Monument Name: [MOA E-15]]
 Maint Date: [/ /] Monument Cond: []]
 Grids: [NW1159] Status Code: [V] (C,G,V)]
 Township: T 0N, R 0, SM Sec 0 Type Code:[18] 1/2" Anchor bolt]
 Subdivision: [] Corner:[]]
 S.I. Locate: [] Legal:[]]
 Dig X Coord: [0] SP X Coord: [] 2 Order, 2 Class]
 Dig Y Coord: [0] SP Y Coord: []]
 SP Z Coord: [422.17]Datum: 1972 Adjustment]
 GPS Code: [] Inertial Code: [] Photo Code: []]
 Proj. Name: []]

Comments or Markings:

Description:

[Beginning at the intersection of the Old Glenn Highway and the North Eagle
 [River Access Road; thence northeasterly along the Old Glenn Highway 4.8
 [miles; thence southeasterly 115.0 feet to the northeast corner of an 86.0
 [foot by 44.4 foot wood frame building with a concrete foundation occupied
 [by the Rural Discount Center. The mark is on the northwest face of the
 [building 0.4 feet south of the northwest corner and 0.4 feet above grade.
 [The mark is a 1/2" x 3-3/4" anchor bolt with a .2" diameter washer. Use
 [top of threads for elevation.]]
 []]

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01607] Surveyor: [DOWL]]
 Book-Page: [0- 0] LS Number: []]
 Recvy Date: [/ /] Monument Name: [MOA E-19]]
 Maint Date: [/ /] Monument Cond: []]
 Grids: [NW1256] Status Code: [V] (C,G,V)]
 Township: T 0N, R 0, SM Sec 0 Type Code:[19] Deep Bench]
 Subdivision: [] Corner:[]]
 S.I. Locate: [] Legal:[]]
 Dig X Coord: [0] SP X Coord: [] 2 Order, 2 Class]
 Dig Y Coord: [0] SP Y Coord: []]
 SP Z Coord: [215.80]Datum: 1972 Adjustment]
 GPS Code: [] Inertial Code: [] Photo Code: []]
 Proj. Name: []]

Comments or Markings:

Description:

[Beginning at the intersection of Birchwood Loop Road and Tarika Avenue;
 [thence easterly along Birchwood Loop Road 40.0 feet; thence northerly
 [34.0 feet to the mark. the mark is also 16.0 feet south of power pole
 [BR 48231. The mark is a 2 1/2" brass capset on a 5/8" Copperweld rod
 [driven to refusal at a depth of 10.0 feet. The mark is encased in a 6"
 [PVC pipe to a depth of 1-1/2 feet and protruding 1/2 foot above ground.
 [Mark is witnessed by a red and white, 2" x 4" post, 3 feet high. Use top
 [of dome for elevation.]]
 []]

D-21

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01604] Surveyor: [DOWL]
 Book-Page: [0- 0] LS Number: []
 Recvy Date: [/ /] Monument Name: [MOA E-16]
 Maint Date: [/ /] Monument Cond: []
 Grids: [NW1258] Status Code: [V] (C,G,V)
 Township: T 0N, R 0 , SM Sec 0 Type Code:[18] 1/2" Anchor bolt
 Subdivision: [] Corner:[]
 S.I. Locate: [] Legal:[]
 Dig X Coord: [0] SP X Coord: [] 2 Order, 2 Class
 Dig Y Coord: [0] SP Y Coord: []
 SP Z Coord: [334.62]Datum: 1972 Adjustment
 GPS Code: [] Inertial Code: [] Photo Code: []
 Proj. Name: []

Comments or Markings:

[
 Description:
 [At the east end of the south abutment of the North Birchwood overpass
 [at the New Glenn Highway. The mark is on the north face of the south
 [abutment, 3.9 feet west of the east end, and 0.8 feet below top of
 [concrete. The mark is a 1/2" x 3-3/4" anchor bolt with a 2" diameter
 [washer. Use top of threads for elevation.
]
]
]
]
]
]

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01606] Surveyor: [DOWL]
 Book-Page: [0- 0] LS Number: []
 Recvy Date: [/ /] Monument Name: [MOA E-18]
 Maint Date: [/ /] Monument Cond: []
 Grids: [NW1356] Status Code: [V] (C,G,V)
 Township: T 0N, R 0 , SM Sec 0 Type Code:[19] Deep Bench
 Subdivision: [] Corner:[]
 S.I. Locate: [] Legal:[]
 Dig X Coord: [0] SP X Coord: [] 2 Order, 2 Class
 Dig Y Coord: [0] SP Y Coord: []
 SP Z Coord: [152.08]Datum: 1972 Adjustment
 GPS Code: [] Inertial Code: [] Photo Code: []
 Proj. Name: []

Comments or Markings:

[
 Description:
 [Beginning at the intersection of South Birchwood Loop and Old Glenn
 [Highway; thence northerly along Birchwood Loop Road 4.6 miles; thence
 [southerly 34.0 feet to the mark. The mark is on north edge of parking area
 [connected to Perennial Gardens Greenhouse. The mark is also 24.0 feet east
 [of power pole BR 23. The mark is a 2 1/2" brass cap set on 5/8" Copperweld
 [rod driven to refusal at a depth of 15.0 feet and encased in a 6" PVC
 [pipe to a depth of 1 1/2 feet with 1/2 foot protruding above ground. Mark
 [is witnessed by a red and white 2" x 4" post, 3 feet high. Use top of dome
 [for elevation.
]
]
]
]
]

D-22

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01139] Surveyor: [C&GS]

Book-Page: [0- 0] LS Number: []

Recvy Date: [8/17/87] Monument Name: [U 83]

Maint Date: [/ /] Monument Cond: [FAIR]

Grids: [NW1663] Status Code: [V] (C,G,V)

Township: T ON, R OW, SM Sec 0 Type Code:[0] NONE

Subdivision: [] Corner:[]

S.I. Locate: [] Legal:[]

Dig X Coord: [0] SP X Coord: [] 0 Order, 0 Class

Dig Y Coord: [0] SP Y Coord: []

SP Z Coord: [350.71]Datum: 1972 Adjustment

GPS Code: [] Inertial Code: [] Photo Code: []

Proj. Name: []

Comments or Markings:

[LEE KARABELNIKOFF REPORTED HE FOUND THIS MONUMENT IN 1993.]

Description:

[Beginning at the Mirror Lake exit on the New Glenn Highway; thence

[northeasterly along the Old Glenn Highway to the road leading to the

[Rasmuson Scout Reservation (aka Camp Gorsuch). The mark is about 100 feet

[southwest of the road intersection and 55 feet west of the centerline of

[the Old Glenn Highway. The mark is about 4 feet higher than the highway.

[A witness post is 1.2 feet northeast of the mark. The disk is clamped to a

[copper coated rod driven to 14 feet and encased in a 4" Orangeburg pipe

[that projects 0.7 feet above the ground.]

[]

[]

MIT S V2.2

MONUMENT RECORD PRINT FORM

Monument ID: [01605] Surveyor: [DOWL]

Book-Page: [0- 0] LS Number: []

Recvy Date: [/ /] Monument Name: [MOA E-17]

Maint Date: [/ /] Monument Cond: []

Grids: [NW1357] Status Code: [V] (C,G,V)

Township: T ON, R 0 , SM Sec 0 Type Code:[19] Deep Bench

Subdivision: [] Corner:[]

S.I. Locate: [] Legal:[]

Dig X Coord: [0] SP X Coord: [] 2 Order, 2 Class

Dig Y Coord: [0] SP Y Coord: []

SP Z Coord: [168.29]Datum: 1972 Adjustment

GPS Code: [] Inertial Code: [] Photo Code: []

Proj. Name: []

Comments or Markings:

[]

Description:

[Beginning at the intersection of Birchwood Loop Road and Scenic Drive;

[thence southerly along Scenic Drive 91.0 feet; thence easterly 24.0 feet

[to the mark. The mark is also 16.0 feet south and 5.0 feet east of power

[pole BR 185. The mark is a 2 1/2" brass cap set on 5/8" Copperweld rod

[driven to refusal at a depth of 5.0 feet. The rod is encased in a 6" PVC

[pipe to a depth of 1-1/2 feet with 1/2 foot protruding above ground. Mark

[is witnessed by a red and white 2" x 4" post, 3 feet high. Use top of

[dome for elevation.]

[]

[]

D-23

[The page contains extremely faint, illegible text, likely bleed-through from the reverse side of the document. The text is arranged in several paragraphs and is difficult to discern.]