

MONUMENT ID: [00006] MONUMENT NAME: [TIDAL 15 RESET]

BOOK-PAGE: [0- 0] SURVEYOR: [USC&GS]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/11/87]
 SP Z COORD: [19.97] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 6] GRIDS: [930]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [13] 3-1/4" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 1 ORDER, 1 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[At Anchorage. At the Port of Anchorage Building. 12.08 feet north & 10.42]
 [feet west of the NE corner of said building. Monument is 9.42 feet east of]
 [the east edge of a 3.5 feet high concrete platform which is attached to]
 [the Northern end of said building.]
 []
 []
 []
 []
 []
 []

MONUMENT ID: [00007] MONUMENT NAME: [MB 130 (USE)]

BOOK-PAGE: [0- 0] SURVEYOR: [USE]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/10/87]
 SP Z COORD: [176.47] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T 0N, R 0W, SN SEC 0] GRIDS: [936*1036]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [13] 3-1/4" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 1 ORDER, 1 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[2.65 miles northeast along the Alaska Railroad from the station at]
 [Anchorage. thence 0.15 mile north along Post Road. thence 0.6 mile north]
 [east along Second Street. 16 feet northeast of the extended centerline of]
 [P Street. 23 feet southeast of the centerline of Second Street. 20.0 feet]
 [northwest of the northwest rail of the Elmendorf Base railroad. 0.5 feet]
 [above Second Street. and set in the top of the east corner of a concrete]
 [catch basin.]
 []
 []
 []
 []

MONUMENT ID: [00014] MONUMENT NAME: [CB 1A]

BOOK-PAGE: [637- 46] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/10/87]
 SP Z COORD: [122.68] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T 0N, R 0W, SN SEC 0] GRIDS: [1031]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [Y] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [Y] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Loop Road and East Bluff Drive. Thence]
 [westerly 414 feet along East Bluff Drive. Thence northerly 44 feet to the]
 [southern most SE corner of the RCA Building. The B.C. is set vertically]
 [in the south face of the eastern most pilaster of the old building. The]
 [brass cap is 89 feet east of the west wall of the old building. Use top of]
 [of drill hole for elevation.]
 []
 []
 []
 []
 []
 []

MONUMENT ID: [00017] MONUMENT NAME: [G1A]

BOOK-PAGE: [0- 0] SURVEYOR: [USE]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/10/87]
 SP Z COORD: [170.89] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T 0N, R 0W, SN SEC 0] GRIDS: [1035]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [13] 3-1/4" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 1 ORDER, 1 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[2.65 miles northeast along the Alaska Railroad from the station at]
 [Anchorage. Thence 0.15 mile north along Post Road. Thence 0.4 mile north-]
 [east along Second Street. 120 feet west of G1(USE). Midway between 7th and]
 [8th Street. 23 feet southeast of the centerline of Second Street. 20.0 feet]
 [northwest of the northwest rail of the Elmendorf Base Railroad. 1 foot]
 [below the rails and set in the top of the east corner of a concrete catch]
 [basin.]
 []
 []
 []
 []

MONUMENT ID: [00018] MONUMENT NAME: [TT AN7]

BOOK-PAGE: [0- 0] SURVEYOR: [USE]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [8/10/87]
SP Z COORD: [163.36] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
TOWNSHIP: [T 0N, R 0W, SN SEC 0] GRIDS: [1035]
STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [N] INERTIAL CODE: [N] 1 ORDER, 1 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:
[2.65 miles northeast along the Alaska Railroad from the Station at
[Anchorage. Thence 0.15 mile north along Post Road. Thence 0.2 mile north-
[east along Second Street. 74 feet southeast of the centerline of the street]
[25.2 feet south of the south rail of the railroad siding. 21.6 feet north]
[of the edge of the tree line. and in the center of four 8" x 8" x 2'
[concrete post tied together by a chain to form a fence. and set in the top]
[of a concrete post 0.2 foot below ground level.
[]
[]
[]

MONUMENT ID: [00061] MONUMENT NAME: [CB 9D]

BOOK-PAGE: [637- 50] SURVEYOR: [TNH]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [8/11/87]
SP Z COORD: [210.58] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
TOWNSHIP: [T 0N, R 0W, SN SEC 0] GRIDS: [1139]
STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:
[Beginning at the intersection of Oil Well Road and Hospital Drive on
[Elmendorf Air Force Base. Thence southerly 0.3 miles along Hospital Drive.
[Thence westerly 65 feet to a sewer metering station. A 9.7' x 5.5' block
[building. The B.C. is set horizontally in a concrete slab 0.5 feet South
[of the SE corner of said station. The B.M. is 106 feet south of Aster
[Drive extended and approximately 500 feet north of the Glenn Highway.
[]
[]
[]

MONUMENT ID: [00032] MONUMENT NAME: [CB 2A]

BOOK-PAGE: [637- 45] SURVEYOR: [TNH]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [8/10/87]
SP Z COORD: [22.32] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
TOWNSHIP: [T 0N, R 0W, SN SEC 0] GRIDS: [1131]
STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:
[Beginning at the intersection of North C Street and Whitney Road and Ocean]
[Dock Road. Thence easterly 0.2 mile along Whitney Road. Thence northerly]
[32 feet to the SE corner of CEA's Ship Creek Generating Plant. The B.C.]
[is set vertically in the south face 0.4 feet West of said SE corner. Use]
[top of drill hole for elevation.
[]
[]
[]

MONUMENT ID: [00070] MONUMENT NAME: [ANCHOR RM#1]

BOOK-PAGE: [0- 0] SURVEYOR: [C&GS]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [8/18/87]
SP Z COORD: [93.98] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [POOR]
TOWNSHIP: [T13N, R 4W, SN SEC 13] GRIDS: [1229]
STATUS CODE: [V] (C,G,V) TYPE CODE: [13] 3-1/4" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [N] INERTIAL CODE: [Y] 2 ORDER, 2 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:
[At Anchorage. At the corner of 3rd Avenue and "L" Street where 3rd Avenue]
[curve east and becomes "L" Street. 57.5 feet northwest of the center of the]
[intersection of 3rd Avenue and "K" Street. 25 feet north of the centerline]
[of the avenue and set in the top of a concrete street curb.
[]
[]
[]

MONUMENT ID: [00072] MONUMENT NAME: [ANCHOR]

BOOK-PAGE: [0- 0] SURVEYOR: [C & GS]
 SP X COORD: [517446.61] LS NUMBER: []
 SP Y COORD: [2637913.06] RECVY DATE: [/ /]
 SP Z COORD: [96.58] MAINT DATE: [/ /]
 DATUM: [1966 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 13] GRIDS: [1229]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [13] 3-1/4" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 2 ORDER, 2 CLASS

COMMENTS OR MARKINGS:

[NOTE 1966 DATUM]

DESCRIPTION:

[At Anchorage. At the corner of 3rd Avenue and "L" Street where 3rd Avenue
 curves south and becomes "L" St. 30 feet northwest of the center line of
 the avenue 2.3 feet northwest of a 3.5 foot wooden fence 12 feet south
 west of the east end of said fence.]

MONUMENT ID: [00110] MONUMENT NAME: [TIDAL 12]

BOOK-PAGE: [0- 0] SURVEYOR: [USC & GS]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/18/87]
 SP Z COORD: [22.14] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T 0N, R 0W, SN SEC 0] GRIDS: [1230]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [13] 3-1/4" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 1 ORDER, 1 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[At Anchorage. At the Alaska Railroad Station. At north entrance to station.
 111.0 feet west of the northeast corner of the station. Set 0.5 foot east
 of the west frame of the concrete sill of the double-door entrance.]

MONUMENT ID: [00111] MONUMENT NAME: [TIDAL 1]

BOOK-PAGE: [0- 0] SURVEYOR: [USC & GS]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/18/87]
 SP Z COORD: [25.37] MAINT DATE: [/ /]
 DATUM: [1966 ADJUSTMENT] MONUMENT COND: [FAIR]
 TOWNSHIP: [T 0N, R 0W, SN SEC 0] GRIDS: [1230]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [13] 3-1/4" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 2 ORDER, 2 CLASS

COMMENTS OR MARKINGS:

[NOTE 1966 DATUM]

DESCRIPTION:

[At the Alaska Railroad station 74.0 feet west of the northeast corner of
 the station 47.0 feet south of the south rail of the track in the top and
 center of the concrete sill of the sixth window west of the northeast
 corner of the station and 3 feet above the asphalt platform or walkway.]

MONUMENT ID: [00112] MONUMENT NAME: [TIDAL 2]

BOOK-PAGE: [0- 0] SURVEYOR: [USC & GS]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/18/87]
 SP Z COORD: [25.47] MAINT DATE: [/ /]
 DATUM: [1966 ADJUSTMENT] MONUMENT COND: [FAIR]
 TOWNSHIP: [T13N, R 3W, SN SEC 18] GRIDS: [1230]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [13] 3-1/4" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 2 ORDER, 2 CLASS

COMMENTS OR MARKINGS:

[NOTE 1966 DATUM]

DESCRIPTION:

[At Anchorage. At the Alaska Railroad station. 74.0 feet west of the
 southeast corner of the station. 49.0 feet north of the centerline of
 First Avenue. In the top of the concrete sill of the sixth window west
 of the southeast corner of the station and about 3.5 feet above the
 ground.]

MONUMENT ID: [00121] MONUMENT NAME: [A 75]

BOOK-PAGE: [0- 0] SURVEYOR: [USC & GS]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/10/87]
 SP Z COORD: [18.32] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 18] GRIDS: [1230]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 1 ORDER, 1 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[At Anchorage. At steel railroad bridge No. 114.3. 0.15 mile southwest of
 [the crossing of Ocean Dock Road and the Alaska Railroad. 5.8 feet south-
 [east of the southeast rail. 0.4 foot northwest of the northeast end of the
 [base plate of the southeast steel girder. 0.5 foot below the top of the
 [rails. And set in the top of the east end of the northeast concrete pillar
 [of the bridge.

[
 []
 []
 []
 []

MONUMENT ID: [00128] MONUMENT NAME: [B 74]

BOOK-PAGE: [0- 0] SURVEYOR: [USC & GS]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/18/87]
 SP Z COORD: [111.20] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T 0N, R 0W, SN SEC 0] GRIDS: [1231]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [13] 3-1/4" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [] INERTIAL CODE: [] 1 ORDER, 1 CLASS

COMMENTS OR MARKINGS:

[The NGS's published value for this B.M. appears to be in error.

DESCRIPTION:

[At Anchorage. Midway between 5th Avenue and 6th Avenue. At the northwest
 [corner of the Cordova Building. 190 feet south of the centerline of 5th
 [Avenue. 34 feet east of the centerline of Cordova Street. Set vertically
 [in the north face of the concrete foundation of the building. 1.0 foot
 [east of the northwest corner of the building and 2.5 feet above the
 [ground. Building address is 555 Cordova St.

[
 [NGS PUBLISHED ELEVATION 111.601 APPEARS OF BE AN ERROR.
 []
 []

MONUMENT ID: [00160] MONUMENT NAME: [CB 2E]

BOOK-PAGE: [637- 35] SURVEYOR: [TMH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/ 6/87]
 SP Z COORD: [132.67] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 17] GRIDS: [1233]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of East Third Avenue and Unga Street. Thence
 [southerly 51 feet along Unga Street. Thence westerly 30 feet to the NE
 [corner of Luth Construction and Design. A commercial building. The B.C.
 [is set vertically in the east face 0.5 feet south of said NE corner.
 [Street address is 2042 East Third Ave.

[
 []
 []
 []
 []

MONUMENT ID: [00161] MONUMENT NAME: [C 74]

BOOK-PAGE: [0- 0] SURVEYOR: [USC & GS]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/ 6/87]
 SP Z COORD: [131.68] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 17] GRIDS: [1233]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

[NGS published elevation as 132.06 for 1966 adjustment value

DESCRIPTION:

[At Anchorage. At Merrill Field. At the Flight Service Station. 209 feet
 [south of the centerline of 5th Avenue. 22.0 feet southeast of the north-
 [east corner of the building. 10.0 feet east of the east face of the
 [building. 6.5 feet east of the southeast corner of a concrete stairway.
 [4.5 feet north of the north face of a small concrete building. Set in the
 [top of the northwest corner of a concrete box projecting 0.3 foot above
 [the ground and surrounding a steel manhole about 10 feet deep.

[
 []
 []
 []

MONUMENT ID: [00164] MONUMENT NAME: [CB 2D]

BOOK-PAGE: [637- 37] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/ 6/87]
 SP Z COORD: [143.83] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 16] GRIDS: [1234]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Glenn Highway and Mountain View Drive.
 [Thence northeasterly 0.1 mile along Mt. View Drive. Thence northwesterly
 [90 feet to the NE corner of the Alaska National Guard Building No. 1.
 [The B.C. is set vertically in the southeast face 0.4 feet southwest of
 [said NE corner. Use top of drill hole for elevation.

MONUMENT ID: [00167] MONUMENT NAME: [CB 2C]

BOOK-PAGE: [637- 38] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/ 5/87]
 SP Z COORD: [141.96] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 16] GRIDS: [1235]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intesection of Mt. View Drive and Bragaw Street. Thence
 [southerly 635 feet along Bragaw Street. Thence westerly 690 feet to the
 [westerly most SW corner of Oran D. Clark Junior High School. The B.C. is
 [set vertically in the south face of a pilaster. 101 feet East of said
 [SW corner. The B.M. is 0.7 feet west of a metal door to the wood-work
 [shop. Use top of drill for elevation.

MONUMENT ID: [00169] MONUMENT NAME: [CB 3A]

BOOK-PAGE: [637- 40] SURVEYOR: [THN]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/ 5/87]
 SP Z COORD: [137.55] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 16] GRIDS: [1235]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of East Sixth Avenue and Bragaw Street.
 [Thence westerly 504 feet along East Sixth Avenue extended. Thence northerly
 [212 feet to the SW corner of the west wing of Williwaw Elementary
 [School. The B.C. is set vertically in the west face 0.5 feet north of
 [said SW corner. The B.M. is 36 feet south of the west entrance to the
 [school. Use top of drill hole for elevation.

MONUMENT ID: [00174] MONUMENT NAME: [CB 9E]

BOOK-PAGE: [637- 49] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/ 5/87]
 SP Z COORD: [194.04] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 15] GRIDS: [1237]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Chena Avenue and Taku Drive; thence
 [northerly 123 feet along Taku Drive; thence westerly 56 feet to the north-
 [east corner of a commercial building occupied by Hall's Cabinet Shop. The
 [brass cap is set vertically in the north face 0.2 feet west of said north
 [east corner. Use top of drilled hole for elevation.

D-6
MOA BENCHMARK NETWORK

MONUMENT ID: [00176] MONUMENT NAME: [CB 6B]

BOOK-PAGE: [647- 40] SURVEYOR: [TNH]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [8/ 5/87]
SP Z COORD: [177.05] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
TOWNSHIP: [T13N, R 3W, SN SEC 15] GRIDS: [1237]
STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Kenai Avenue and Davis Street. Thence
[southerly 165 feet along Davis Street extended. Thence easterly 140 feet
[to the north corner of the boiler room of Wonder Park Elementary School.
[The B.C. is set vertically in the northwest wall 0.3 feet southwest of
[said north corner. Use top of hole for elevation.

MONUMENT ID: [00187] MONUMENT NAME: [GAAB10]

BOOK-PAGE: [664- 9] SURVEYOR: [GAAB]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [8/ 4/87]
SP Z COORD: [252.18] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
TOWNSHIP: [T13N, R 3W, SN SEC 13] GRIDS: [1240]
STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Muldoon Road and Boundary Avenue. Thence
[westerly 272 feet along Boundary Avenue. Thence southerly 60 feet to the
[NW corner of a 70' x 270' commercial building occupied by Bi-lo Store.
[The B.C. is set vertically in the north face 0.5 feet east of said NW
[corner. Use head of screw for elevation.

MONUMENT ID: [00194] MONUMENT NAME: [GAAB 4]

BOOK-PAGE: [664- 10] SURVEYOR: [GAAB]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [8/ 4/87]
SP Z COORD: [254.31] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
TOWNSHIP: [T13N, R 3W, SN SEC 13] GRIDS: [1241]
STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [] INERTIAL CODE: [] 0 ORDER, 0 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Duben Avenue and Muldoon Road. Thence
[south 50 feet along Muldoon Road and 228 feet east to Bob's Meat Locker.
[A 70' x 100' building with a partial second story. The B.C. is set
[vertically in the north face. 1.3 feet west of the NE corner of the
[building. The street address is 301 Muldoon Road. Use head of screw for
[elevation.

MONUMENT ID: [00228] MONUMENT NAME: [CB 2G]

BOOK-PAGE: [637- 43] SURVEYOR: [TNH]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [8/18/87]
SP Z COORD: [108.62] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
TOWNSHIP: [T13N, R 3W, SN SEC 18] GRIDS: [1330]
STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [] INERTIAL CODE: [] 0 ORDER, 0 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of West 7th Avenue and "B" Street. Thence
[westerly 169 feet along 7th Avenue. Thence northerly 60 feet to the
[southeast corner of the hose drying tower on the Anchorage Public Safty
[Building. The B.C. is set vertically in the south face 0.5 feet west of
[said southeast corner. Use top of hole for elevation.

MONUMENT ID: [00244] MONUMENT NAME: [CB 2F]

BOOK-PAGE: [637- 48] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/18/87]
 SP Z COORD: [103.90] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T 0N, R 0W, SN SEC 0] GRIDS: [1331]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [] INERTIAL CODE: [] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of East 8th Avenue and Hyder Street. Thence
 [westely 204 feet along East 8th Avenue. Thence northerly 38 feet to the
 [southern most SE corner of CEA's Office Building. The B.C. is set
 [vertically in the south face 0.3 feet west of said SE corner.

MONUMENT ID: [00258] MONUMENT NAME: [CB 3E]

BOOK-PAGE: [637- 34] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/29/87]
 SP Z COORD: [117.58] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 20] GRIDS: [1432]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of East 14th Ave and Orca Street. Thence
 [northerly 131 feet along Orca Street. Thence westerly 65 feet to the
 [northermost southeast corner at Fairview Elementary School. The B.C. is
 [set vertically in the south face 1.0 feet west of said corner. Use top
 [of hole for elevation.

MONUMENT ID: [00266] MONUMENT NAME: [D 74]

BOOK-PAGE: [0- 0] SURVEYOR: [USC & GS]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/29/87]
 SP Z COORD: [127.18] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 17] GRIDS: [1333]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [13] 3-1/4" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

[The NGS 1966 value was 127.578 feet]

DESCRIPTION:

[At Anchorage. At Merrill Field. At the new control tower. Set vertically
 [in the north face of the northeast corner of the tower and about 3 feet
 [above the ground.

MONUMENT ID: [00278] MONUMENT NAME: [CB 9H]

BOOK-PAGE: [647- 39] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/31/87]
 SP Z COORD: [218.47] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 14] GRIDS: [1338]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Boniface Parkway and Debarr Road. Thence
 [Easterly 228 feet along Debarr Road. Thence northerly 148 feet to the
 [eastern most corner of a commercial building occupied by a gasoline station]
 [B.C. is set vertically in the SE wall 0.3 feet SW of said East corner.
 [Use top of hole for elevation.

MONUMENT ID: [00282] MONUMENT NAME: [CB 9A]

BOOK-PAGE: [634- 78] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/31/87]
 SP Z COORD: [224.76] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 14] GRIDS: [1339]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of DeBarr Road and Summit View Drive. Thence
 [westerly 245 feet along DeBarr Road. Thence northerly 538 feet to the
 [southwest corner of a Commercial Building occupied by the Royal Roller
 [Rink. The B.C. is in the south face of a pilaster 0.4 feet east of said
 [SW corner. The B.C. is easterly 70 feet of a N-S unnamed road. Use the top
 [of the hole for elevation.
 []
 []
 []
 []
 []

MONUMENT ID: [00287] MONUMENT NAME: [GAAB 5]

BOOK-PAGE: [648- 32] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [8/ 4/87]
 SP Z COORD: [252.65] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 13] GRIDS: [1340]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Muldoon Road and Dover Avenue. Thence
 [westerly 142 feet along Dover Avenue. Thence southerly 46 feet to a B.C.
 [set vertically on the north face of a 50 x 50 foot block building. The
 [B.C. is 8 feet east of the NW corner of said building. The building is
 [occupied by Fox's Den. Use head of screw for elevation.
 []
 []
 []
 []
 []

MONUMENT ID: [00293] MONUMENT NAME: [GAAB 9]

BOOK-PAGE: [648- 42] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/31/87]
 SP Z COORD: [248.38] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 13] GRIDS: [1340]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Muldoon Road and DeBarr Road. Thence
 [westerly 0.25 miles along DeBarr Road. Thence northerly 70 feet to the
 [south end of the east wall extension of the Anchorage Telephone Utility's
 [East Wire Center. The B.C. is set vertically in the east face. 1.3 feet
 [north of said end of east wall. Use head of screw for elevation.
 []
 []
 []
 []
 []

MONUMENT ID: [00301] MONUMENT NAME: [D 75]

BOOK-PAGE: [0- 0] SURVEYOR: [USC & GS]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/28/87]
 SP Z COORD: [53.94] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 4W, SN SEC 24] GRIDS: [1428]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [13] 3-1/4" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 1 ORDER, 1 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[1.95 miles south along the Alaska Rail Road from the station at Anchorage.
 [Thence 0.1 mile east along a private road to the KENI radio station
 [building. About 300 feet south of a steel radio tower. 44 feet north of
 [the centerline of the road. In the top of the east end of a concrete
 [retaining wall at the top of stairway leading to the basement on the west
 [side of the building. 0.3 foot southwest of the southwest corner of the
 [building and 0.7 foot above the ground.
 []
 []
 []
 []
 []

MONUMENT ID: [00321] MONUMENT NAME: [CB 4B]

BOOK-PAGE: [637- 31] SURVEYOR: [TNH]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [7/29/87]
SP Z COORD: [82.70] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
TOWNSHIP: [T13N, R 3W, SN SEC 19] GRIDS: [1430]
STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of West 15th Avenue and "E" Street. Thence
[easterly 162 feet along West 15th Avenue; thence northerly 100 feet to the
[southwest corner of Central Junior High School. The BC is set vertically
[in the south face 0.3 feet east of said southwest corner.

MONUMENT ID: [00322] MONUMENT NAME: [CB 4A]

BOOK-PAGE: [637- 32] SURVEYOR: [TNH]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [7/29/87]
SP Z COORD: [108.90] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
TOWNSHIP: [T13N, R 3W, SN SEC 19] GRIDS: [1431]
STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of East 15th Avenue and Gambell Street.
[Thence easterly 191 feet along East 15th Avenue. Thence southerly 106 feet
[to the NW corner of Alaska School Supply. The B.M. is set vertically in the
[north face 0.3 feet east of said NW corner. Use the top of drill hole for
[elevation.

MONUMENT ID: [00348] MONUMENT NAME: [CB 3D]

BOOK-PAGE: [637- 32] SURVEYOR: [TNH]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [7/23/87]
SP Z COORD: [127.78] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
TOWNSHIP: [T13N, R 3W, SN SEC 21] GRIDS: [1434]
STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of East 16th Avenue and Garden Street.
[Thence southerly 96 feet along Garden St. Thence easterly 135 feet
[to the interior angle point on the south wall of Trinity Christian Church.
[The B.C. is set vertically in the southwest face 2.0 feet east of said
[angle point. B.C. is 61 feet east of the west wall of the church and 35
[feet northwest from the southern most corner of the church.

MONUMENT ID: [00352] MONUMENT NAME: [CB 3B]

BOOK-PAGE: [637- 41] SURVEYOR: [TNH]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [7/31/87]
SP Z COORD: [150.86] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
TOWNSHIP: [T13N, R 3W, SN SEC 21] GRIDS: [1435]
STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of DeBarr Road and Bragaw Street. Thence
[westerly 215 feet along DeBarr Road. Thence southerly 83 feet to the NE
[corner of the boiler room of the Grandview Gardens Public Library Building.
[The B.C. is 29 feet south of the northern most wall of the library. Use
[the top of drill hole for elevation.

MONUMENT ID: [00360] MONUMENT NAME: [GAAB 12]

BOOK-PAGE: [661- 40] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/22/87]
 SP Z COORD: [224.03] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 23] GRIDS: [1438]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of DeBarr Road and Boniface Parkway. Thence
 [southerly 660 feet along Boniface Parkway. Thence easterly 136 feet to the
 [southwest corner of Carr's Shopping complex. The B.C. is set vertically
 [in the south face of the steps leading to a loading dock at said corner.

MONUMENT ID: [00361] MONUMENT NAME: [GAAB 16]

BOOK-PAGE: [648- 59] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/22/87]
 SP Z COORD: [235.14] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 23] GRIDS: [1438]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of DeBarr Road and Buckner Drive. Thence
 [westerly 290 feet along DeBarr Road. Thence southerly 188 feet to the
 [center of the west face of the most southerly pilaster on the west side of
 [a 60 foot by 70 foot brick building occupied by the National Bank of
 [Alaska. Use top of screw for elevation.

MONUMENT ID: [00367] MONUMENT NAME: [GAAB 13]

BOOK-PAGE: [651- 22] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/21/87]
 SP Z COORD: [299.33] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 24] GRIDS: [1440]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Muldoon Road and East 20th Avenue. Thence
 [northerly 191 feet along Muldoon Road. Thence westerly 125 feet to the
 [NE corner of a 30 by 80 foot commercial building occupied by a gasoline
 [station. The B.C. is set vertically in the east face 0.3 feet south of
 [said NE corner. Address is 1900 Muldoon Road.

MONUMENT ID: [00368] MONUMENT NAME: [GAAB 106]

BOOK-PAGE: [648- 45] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/31/87]
 SP Z COORD: [240.90] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 24] GRIDS: [1440]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of DeBarr Road and Patterson Street. Thence
 [southerly 149 feet along Patterson Street. Thence easterly 114 feet to the
 [southwest corner of the Muldoon Fire Station. The B.C. is set horizontally
 [in the floor of the station 4.8 feet north of said SW corner. The B.C. is
 [0.2 feet east of the west edge of the floor and is 0.3 feet west of the
 [southern most overhead door.

MONUMENT ID: [00369] MONUMENT NAME: [CB 9B]

BOOK-PAGE: [634- 79] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/21/87]
 SP Z COORD: [239.75] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 24] GRIDS: [1440]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Patterson Street and East 17th Avenue.
 [Thence southerly 240 feet along Patterson Street. Thence easterly 133 feet
 [to the northernmost northwest corner of Chester Valley Elementary School.
 [The B.C. is set vertically in the west face 1.0 feet south of said north-
 [west corner. Use the top of hole for elevation.

MONUMENT ID: [00372] MONUMENT NAME: [GAAB 8]

BOOK-PAGE: [654- 20] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/21/87]
 SP Z COORD: [256.59] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 24] GRIDS: [1441]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Muldoon Road and Island Drive. Thence
 [northerly 410 feet along Muldoon Road. Thence Easterly 160 feet to the
 [northeast corner of a 50 x 100 foot block building occupied by Quik Stop
 [Grocery and Discount Liquors. The B.C. is set vertically in the north
 [face 0.3 foot west of said NE corner of the building. Use head of screw
 [for elevation.

MONUMENT ID: [00373] MONUMENT NAME: [GAAB 11]

BOOK-PAGE: [654- 23] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/21/87]
 SP Z COORD: [258.67] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 24] GRIDS: [1441]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

[The original published elevation for this Bench Mark was incorrect.]

DESCRIPTION:

[Beginning at the intersection of Muldoon Road and Island Drive. Thence
 [northerly 213 feet along Muldoon road. Thence easterly 104 feet to the
 [NW corner of a 35 x 70 foot commercial building occupied by Chester
 [Valley Veterinary Hospital. The B.C. is set vertically in the North face
 [0.3 feet east of said NW corner. Address is 1571 Muldoon Road.

MONUMENT ID: [00375] MONUMENT NAME: [GAAB 99]

BOOK-PAGE: [667- 48] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/31/87]
 SP Z COORD: [54.09] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 4W, SN SEC 20] GRIDS: [1521]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of West Northern Lights Blvd. and Aero
 [Avenue. Thence westerly 2.8 miles to John M. Asplund Water Pollution
 [Control Facility's chlorine shop. A 45 x 120 foot building. The B.C. is
 [set vertically in the west face at the southwest corner of said building.
 [13 feet east of a water valve key box and 69.5 feet north of a light pole
 [Use head of screw for elevation.

MONUMENT ID: [00376] MONUMENT NAME: [TNH 22]

BOOK-PAGE: [636- 53] SURVEYOR: [TNH]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [7/29/87]
SP Z COORD: [97.25] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
TOWNSHIP: [T13N, R 4W, SN SEC 20] GRIDS: [1521]
STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Northern Lights Blvd. and Minnesota Drive. Thence westerly along Northern Lights Blvd. 4 miles to a point 100 feet north of the gate at the entrance of the John M. Asplund Water Pollution Control Facility. Thence easterly 400 feet along an overhead power line to Old Pt. Woronzof Road. Thence Southerly 0.1 mile to the B.C. on the east side of the road. The B.C. bears Easterly 510 feet from the solid waste incinerator. SE 420 feet from the NE corner of the chain link fence surrounding said facility.]

MONUMENT ID: [00384] MONUMENT NAME: [TNH 21]

BOOK-PAGE: [647- 49] SURVEYOR: [TNH]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [7/30/87]
SP Z COORD: [71.53] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [FAIR]
TOWNSHIP: [T13N, R 4W, SN SEC 20] GRIDS: [1521]
STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of West Northern Lights Blvd. and Aero Avenue. Thence westerly 1.1 miles along Northern Lights Blvd. to Gate No. 1] [leading to the John M. Asplund Water Pollution Control Facility; thence southerly 1042 feet along the east side of a chain link fence to a point where the fence turns west. The B.C. is set horizontally on a Copperweld rod driven to a depth of 25 feet. 0.6 feet north and 2.8 feet east of said fence corner.]

MONUMENT ID: [00380] MONUMENT NAME: [GAAB 98]

BOOK-PAGE: [667- 46] SURVEYOR: [GAAB]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [7/28/87]
SP Z COORD: [66.03] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
TOWNSHIP: [T13N, R 4W, SN SEC 20] GRIDS: [1521]
STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [] INERTIAL CODE: [] 0 ORDER, 0 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of West Northern Lights Blvd. and Aero Avenue. Thence westerly along Northern Lights Blvd and Pt. Woronzof Road for 2.3 miles to the John M. Asplund Water Pollution Control Facility. Thence southwest along said road 0.15 miles to the southernmost SE corner of a concrete waste incinerator building. The B.C. is set 1.5 feet above ground on the buildings east wall. Use head of screw for elevation.]

MONUMENT ID: [00392] MONUMENT NAME: [CB TL5A]

BOOK-PAGE: [637- 72] SURVEYOR: [TNH]
SP X COORD: [] LS NUMBER: []
SP Y COORD: [] RECVY DATE: [7/28/87]
SP Z COORD: [65.76] MAINT DATE: [/ /]
DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
TOWNSHIP: [T13N, R 4W, SN SEC 23] GRIDS: [1526]
STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
SUBDIVISION: [] CORNER: []
S.I. LOCATE: [] LEGAL: []
DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
DIG Y COORD: [0] PROJ. NAME: []
GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Turnagain Parkway and Illiamma Avenue. Thence northerly 37 feet along Turnagain Parkway. thence westerly 32 feet to the B.C. set horizontally on a Copperweld driven to refusal (66 feet) and encased in a standard valve box. The B.C. bears SE 1.5 feet from the SE post of the Lynary Park sign.]

D-12

MOA BENCHMARK NETWORK

REV. 11-1-88

MONUMENT ID: [00397] MONUMENT NAME: [CB 5E]

BOOK-PAGE: [637- 66] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/27/87]
 SP Z COORD: [93.42] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 4W, SN SEC 24] GRIDS: [1528]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Spenard road and Hillcrest Drive. Thence
 [south westerly 0.15 miles along Hillcrest Drive to the west end of the
 [overpass crossing over the Minnesota By-Pass. Thence southerly 30 feet to
 [the southwest bridge abutment. A B.C. is set horizontally on said abutment.
 [0.3 foot north of the abutments south face. Near the western most end of
 [the bridge south guard rail.
 []
 []
 []
 []

MONUMENT ID: [00398] MONUMENT NAME: [GAAB 65]

BOOK-PAGE: [661- 44] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/27/87]
 SP Z COORD: [97.65] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 4W, SN SEC 24] GRIDS: [1528]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Minnesota By-Pass and West 26th Avenue.
 [Thence southerly 114 feet along the Minnesota By-Pass. Thence Westerly
 [463 feet along the driveway and driveway extended running along the south
 [side of Romig Junior High School. Thence northerly 126 feet to the SW
 [corner of the west wing of Romig Junior High School. The B.C. is set
 [vertically in the west face 0.3 feet north of said S.W. corner. The B.C.
 [bears south 28 feet from an exhaust fan. Use head of screw for elevation.
 []
 []
 []
 []

MONUMENT ID: [00402] MONUMENT NAME: [GAAB 75]

BOOK-PAGE: [661- 36] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/27/87]
 SP Z COORD: [94.21] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 4W, SN SEC 24] GRIDS: [1528]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Spenard Road and Hillcrest Drive. Thence
 [westerly 0.4 miles along Hillcrest centerline to where an existing N-S
 [chain link fence. South of Hillcrest Drive. Sould intersect the centerline
 [of Hillcrest if extended northerly to said centerline. Thence southeasterly
 [along the east side of said fence a distance of 341 feet. Thence easterly
 [500 feet to the southeast corner of the West Anchorage High School swimming
 [pool building. The B.C. is set vertically on the east building wall and is
 [0.5 feet north of said SE corner. Use head of screw for elevation.
 []
 []
 []
 []

MONUMENT ID: [00414] MONUMENT NAME: [CB 5D]

BOOK-PAGE: [637- 64] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/24/87]
 SP Z COORD: [103.25] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 19] GRIDS: [1530]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Arctic Blvd. and West Fireweed Lane.
 [Thence easterly 368 feet along Fireweed Lane. Thence southerly 76 feet to
 [the NE corner of a commercial building occupied by Anchorage Borough
 [School District General Office. The B.C. is set vertically in the north
 [face 0.8 feet west of said NE corner. Address is 670 West Fireweed Lane.
 []
 []
 []
 []

MONUMENT ID: [00419] MONUMENT NAME: [CB 5C]

BOOK-PAGE: [637- 65] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/24/87]
 SP Z COORD: [105.90] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 19] GRIDS: [1531]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Fireweed Lane and Fairbanks Street. Thence]
 [easterly 76 feet along Fireweed Lane. Thence northerly 260 feet to the]
 [western most SW corner of the Fireweed I Theater. The B.C. is set]
 [vertically in the south face 0.5 feet east of said SW corner. And 14 feet]
 [west of the west wall of the main theater building. Use top of drilled]
 [hole for elevation.]

MONUMENT ID: [00425] MONUMENT NAME: [GAAB 78]

BOOK-PAGE: [654- 7] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/23/87]
 SP Z COORD: [137.38] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 20] GRIDS: [1533]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Northern Lights Blvd. and Lake Otis]
 [Parkway. Thence westerly 266 feet along Northern Lights Blvd. Thence]
 [northerly 213 feet to the northeast corner of the Medical Park Professional]
 [Building. The B.C. is set vertically in the east face 0.4 feet south of]
 [said NE corner. Use head of screw for elevation.]

MONUMENT ID: [00427] MONUMENT NAME: [CB 5B]

BOOK-PAGE: [637- 71] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/23/87]
 SP Z COORD: [120.66] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 20] GRIDS: [1533]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of East Northern Lights Blvd. and Maplewood]
 [Street. Thence northerly 0.2 miles along Maplewood Street. Thence easterly]
 [90 feet to the SW corner of the foundation pad for the steeple at the]
 [Church of Jesus Christ of Latter Day Saints. The B.C. is set horizontally]
 [on the pad between two pilasters on the west side of the steeple 2.7 feet]
 [north and 0.35 foot east of said SW corner of pad.]

MONUMENT ID: [00433] MONUMENT NAME: [CB 5A]

BOOK-PAGE: [637- 72] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/22/87]
 SP Z COORD: [148.36] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 21] GRIDS: [1535]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Northern Lights Blvd. and Goose Lake]
 [Drive. Thence southerly 0.2 miles along Goose Lake Drive to the NW corner]
 [of the Goose Lake Recreation Area bath house. Thence easterly 62.8 feet]
 [along the north face of said bath house to the B.C. set vertically in the]
 [center of a brick column between the bath house north entrance doors. Use]
 [top of drilled hole for elevation.]

MONUMENT ID: [00438] MONUMENT NAME: [GAAB 28]

BOOK-PAGE: [605- 56] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/21/87]
 SP Z COORD: [160.53] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 22] GRIDS: [1536]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Northern Lights Blvd. and Bragaw Street.
 [Thence north 632 feet along Bragaw Street. Thence east 501 feet along the
 [north face and north face extended of East Anchorage High School. Thence
 [south 91 feet to the B.C. set vertically on the East face of the western
 [most north wing of the original high school building. The B.C. is 8 feet
 [south of the northeast corner of said wing and 2.8 feet north of door#F-1
 [leading to the kitchen. Use head of screw for elevation.
 []
 []
 []
 []

MONUMENT ID: [00445] MONUMENT NAME: [CB 6E]

BOOK-PAGE: [634- 78] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/21/87]
 SP Z COORD: [193.64] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 22] GRIDS: [1537]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of East Northern Lights Blvd. and Boniface
 [Parkway. Thence westerly 161 feet along Northern Lights Blvd. Thence
 [northerly 350 feet to the northeast corner of Boy's Liquor on the east
 [end of College Gate Shopping Center. The B.C. is set vertically in the
 [east face 4 feet south of said northeast corner. Use top of hole for
 [elevation.
 []
 []
 []
 []

MONUMENT ID: [00453] MONUMENT NAME: [GAAB 100]

BOOK-PAGE: [632- 77] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/20/87]
 SP Z COORD: [296.56] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 24] GRIDS: [1540]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

[The original published elevation for this Bench Mark was incorrect.]

DESCRIPTION:

[Beginning at the intersection of Lake George Drive and Tyone Court. Thence]
 [easterly 0.2 miles along Tyone Court. Thence southerly 43 feet to the]
 [northwest corner of the north wing of Susitna Elementary School. The B.C.]
 [is set vertically in the north face 9.5 feet east of said corner. Use]
 [head of screw for elevation.]
 []
 []
 []
 []

MONUMENT ID: [00457] MONUMENT NAME: [USC & GSNO3]

BOOK-PAGE: [667- 52] SURVEYOR: [USC & GS]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/30/87]
 SP Z COORD: [71.61] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 4W, SN SEC 29] GRIDS: [1621]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [13] 3-1/4" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of West Northern Lights Blvd. and Aero]
 [Avenue. Thence westerly 2.8 miles along West Northern Lights and Pt.]
 [Woronozof Road to the SW corner of the chlorination building at the John M.]
 [Asplund Pollution Control Facility. Thence southerly 226 feet to a 6 foot]
 [chain link fence. Thence southerly 88 feet beyond the fence to the B.C.]
 [set horizontally on a 5/8" copper coated steel rod inside a plastic]
 [casing. The B.M. bears SE 98 feet from B.M. USC&GS No. 2.]
 []
 []
 []
 []

MONUMENT ID: [00469] MONUMENT NAME: [CB TL5B]

BOOK-PAGE: [637- 71] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/29/87]
 SP Z COORD: [73.93] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [Good]
 TOWNSHIP: [T13N, R 4W, SN SEC 26] GRIDS: [1626]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of West Northern Lights Blvd. and Seppala Drive. Thence southerly 303 feet along Seppala Drive. Thence westerly 130 feet to the SE corner of the boiler room to Turnagain Elementary School. The B.C. is set vertically on the south face 0.4 feet west of said SE corner. The B.C. is 16 feet east of the east wall of the classroom section. Use top of drilled hole for elevation.]

MONUMENT ID: [00474] MONUMENT NAME: [GAAB 76]

BOOK-PAGE: [651- 55] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/28/87]
 SP Z COORD: [94.04] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 4W, SN SEC 25] GRIDS: [1628]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Northern Lights Blvd. and Minnesota By-Pass. Thence southerly 497 feet along Minnesota By-Pass. Thence westerly 600 feet along the south wall of Carr's Aurora Village Shopping Center to the most westerly SW corner of said Shopping Center. The B.C. is set vertically in the south face 22.2 feet east of said SW corner. Use head of screw for elevation.]

MONUMENT ID: [00476] MONUMENT NAME: [GAAB 103]

BOOK-PAGE: [661- 9] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/27/87]
 SP Z COORD: [96.60] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 4W, SN SEC 25] GRIDS: [1629]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

[The original published elevation for this Bench Mark was incorrect.]

DESCRIPTION:

[Beginning at the intersection of Spenard Road and West 31st Avenue. Thence westerly 39 feet along West 31st Avenue. Thence northerly 104 feet to the north side of the bottom of the eastern most steps leading to the Anchorage Natural Gas Building. The B.C. is 0.2 feet east of the bottom step. 0.2 feet south of the north side of the steps (a walled planter) and 34 feet east of the building. The brass cap is set horizontally in the base of the steps. Street address is 3000 Spenard Road.]

MONUMENT ID: [00477] MONUMENT NAME: [CB TL3A]

BOOK-PAGE: [637- 40] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/27/87]
 SP Z COORD: [96.09] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 4W, SN SEC 25] GRIDS: [1629]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Spenard Road and West 29th Avenue. Thence westerly 148 feet along West 29th Avenue; thence northerly 69 feet to the SW corner of the easterly south wing of the Northern Lights Shopping Center. The B.M. is set vertically in the south face 1.0 foot east of said SW corner. Use top of drilled hole for elevation.]

MONUMENT ID: [00478] MONUMENT NAME: [GAAB 85]

BOOK-PAGE: [651- 76] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/28/87]
 SP Z COORD: [99.60] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 4W, SN SEC 25] GRIDS: [1629]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [] 0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [] 0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

[The original published elevation for this Bench Mark was incorrect.]

DESCRIPTION:

[Beginning at the intersection of West 29th Avenue and North Star Street.
 [Thence easterly 165 feet along West 29th Avenue; thence northerly 27.5
 [feet to the southernmost southeast corner of a commercial building occupied
 [by Matanuska Maid Dairy Products. The B.C. is set vertically in the south
 [face 0.4 feet west of said southeast corner. Use head of screw for
 [elevation.]

MONUMENT ID: [00482] MONUMENT NAME: [CB 7C]

BOOK-PAGE: [637- 38] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/24/87]
 SP Z COORD: [106.10] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 30] GRIDS: [1630]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [] 0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [] 0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of C Street and West 31st Avenue. Thence
 [easterly 90 feet along West 31st Avenue. Thence southerly 100 feet to the
 [NW corner of a multi-story commercial building occupied by British Petro-
 [leum. The B.C. is set vertically on the west face of the most northwestern
 [pilaster which is 2.0 feet south of said NW corner. The B.C. is behind a
 [small shrub and 3.5 feet above the level of the driveway. Use top of
 [drilled hole for elevation.]

MONUMENT ID: [00483] MONUMENT NAME: [GAAB 102]

BOOK-PAGE: [661- 23] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/24/87]
 SP Z COORD: [100.64] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 30] GRIDS: [1630]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [] 0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [] 0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of "C" Street and West 36th Avenue. Thence
 [easterly 191 feet along West 36th Avenue. Thence northerly 105 feet to the
 [southern most point of the circular south wall of a tellers booth at the
 [First National Bank of Anchorage. The B.C. is set horizontally in a
 [concrete slab 1.6 feet south on the tellers booth. 4.7 feet east of the
 [west edge of the slab. 8.9 feet north of the south edge of the slab. And
 [bears northwesterly 43 feet of the main building's SW corner.]

MONUMENT ID: [00489] MONUMENT NAME: [CB TL2A]

BOOK-PAGE: [637- 45] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/23/87]
 SP Z COORD: [108.24] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 30] GRIDS: [1631]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [] 0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [] 0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of the New Seward Highway centerline median
 [and East 30 th Avenue; thence westerly 432 feet along the centerline
 [of East 30th Avenue. Thence northerly 30 feet to the SE corner of a
 [commercial building occupied by Sears Automotive Shop. The B.C. is set
 [vertically in the south face 0.5 foot west of the east face of a pilaster
 [at said SE corner. Use top of drilled hole for elevation.]

MONUMENT ID: [00490] MONUMENT NAME: [GAAB 86]

BOOK-PAGE: [661- 16] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/23/87]
 SP Z COORD: [104.53] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 30] GRIDS: [1631]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Denali Street and 32nd Avenue. Thence
 [south 143 feet along Denali Street. Thence east 52 feet to the SW corner
 [of a 60' x 279' commercial building. The B.C. is set vertically in the
 [south face 0.4 feet east of said SW corner. Use head of screw for
 [elevation.

[]
 []
 []
 []
 []
 []

MONUMENT ID: [00494] MONUMENT NAME: [CB 7B]

BOOK-PAGE: [647- 54] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/23/87]
 SP Z COORD: [161.20] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 29] GRIDS: [1633]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Lake Otis Parkway and East 36th Avenue.
 [Thence westerly 182 feet along East 36th Avenue. Thence northerly 33 feet
 [to the east end of a concrete retaining wall parallel to 36th Avenue
 [north R.O.W. The B.C. is set horizontally on the top of the retaining
 [wall 0.3 feet west of the east end of said wall. The B.C. bears east 0.8
 [feet from the east end of a guard rail on the wall.

[]
 []
 []
 []
 []
 []

MONUMENT ID: [00498] MONUMENT NAME: [GAAB 54B]

BOOK-PAGE: [649- 46] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/23/87]
 SP Z COORD: [142.25] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 28] GRIDS: [1634]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Lake Otis Parkway and Duke Drive. Thence
 [southerly 51 feet along Lake Otis Parkway. Thence easterly 150 feet to
 [the SW corner of Lake Otis Elementary School. The B.C. is set vertically
 [in the south face 0.5 feet east of said SW corner.

[]
 []
 []
 []
 []
 []

MONUMENT ID: [00499] MONUMENT NAME: [GAAB 57]

BOOK-PAGE: [654- 11] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/23/87]
 SP Z COORD: [140.13] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 28] GRIDS: [1634]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Lake Otis Parkway and Providence Avenue.
 [Thence easterly 0.25 miles along Providence Avenue to the entrance drive
 [to Anchorage Community College. Thence northerly 0.2 miles along said
 [drive. Thence westerly 516 feet to the northeast corner of the Automotive
 [Building. A 93' x 213' building. The B.C. is set vertically in the north
 [face 1.1 feet west of said northeast corner. Use head of screw for
 [elevation.

[]
 []
 []
 []
 []
 []

MONUMENT ID: [00501] MONUMENT NAME: [TNH 8]

BOOK-PAGE: [637- 73] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/23/87]
 SP Z COORD: [139.98] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 28] GRIDS: [1634]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Lake Otis Parkway and East Northern Lights
 [Blvd. Thence easterly 530 feet along East Northern Lights Blvd. Thence
 [southerly 537 feet to the SE corner of the boiler room on Wendler Junior
 [High School. The B.C. is set vertically in the east face 40 feet north of
 [said SE corner and 1 foot south of a double door to the boiler room.

MONUMENT ID: [00508] MONUMENT NAME: [CB 6D]

BOOK-PAGE: [0- 0] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/21/87]
 SP Z COORD: [188.53] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 27] GRIDS: [1636]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Set Brass Disk on a copperweld driven to refusal (14.3 feet). B.M. is
 [located approximately 3 feet east. Approximately 4 feet north of southeast
 [fence corner at Eklutna Power Project Anchorage Sub Station and
 [approximately 0.4 miles SE of east Anchorage High School. Disk is covered
 [by a standard water valve key box case.

MONUMENT ID: [00504] MONUMENT NAME: [D-O P2]

BOOK-PAGE: [654- 65] SURVEYOR: [DO & P]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/22/87]
 SP Z COORD: [158.80] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T13N, R 3W, SN SEC 28] GRIDS: [1635]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Providence Drive and University Drive.
 [Thence easterly 0.15 mile along University Drive. Thence southerly 0.1
 [mile to the NW corner of the Providence Professional Building. The B.C.
 [is set vertically in the north face 0.8 feet east of said NW corner. Use
 [top of drilled hole for elevation.

MONUMENT ID: [00525] MONUMENT NAME: [GAAB 80]

BOOK-PAGE: [662- 22] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/28/87]
 SP Z COORD: [91.56] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T 0N, R 0W, SN SEC 0] GRIDS: [1728]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS
 COMMENTS OR MARKINGS:

[The original published elevation for this Bench Mark was incorrect.]

DESCRIPTION:

[Beginning at the intersection of Spenard Road and Lois Drive. Thence
 [southwesterly 176 feet along the centerline of Spenard Road; thence north-
 [westerly 45 feet to the southernmost corner of a warehouse occupied by
 [Alaska Distributors Co. The B.C. is set vertically in the southwest face
 [of the most southwestern pilaster at said south corner 0.3 feet northwest
 [of the southeast face of said pilaster. Use head of screw for elevation.

MONUMENT ID: [00526] MONUMENT NAME: [F 75]

BOOK-PAGE: [0- 0] SURVEYOR: [USC & GS]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/28/87]
 SP Z COORD: [93.89] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T 0N, R 0W, SN SEC 0] GRIDS: [1728]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [13] 3-1/4" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 1 ORDER, 1 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[3.6 miles south along the Alaska Railroad from the station at Anchorage.
 [Thence 0.2 mile northeast along Spenard Road at the Spenard Heights
 [Mortuary. 60.0 feet northwest of the centerline of the road. 16.0 feet
 [northeast of the center of the front entrance to a building. 9.0 feet
 [southwest of the east corner of the building. Set vertically in the
 [southeast face of the building and 2.0 feet above the lawn.

MONUMENT ID: [00529] MONUMENT NAME: [TNH 19]

BOOK-PAGE: [637- 57] SURVEYOR: [TNH]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/20/87]
 SP Z COORD: [88.05] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T 0N, R 0W, SN SEC 0] GRIDS: [1728]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Woodland Drive and West 36th Avenue.
 [Thence westerly 406 feet along 36th Avenue. Thence southerly 97 feet to
 [the NW corner of Woodland Park Elementary School. The B.C. is set
 [vertically in the north wall 140 feet east of said NW corner and 1 foot
 [east of the boiler room door.

MONUMENT ID: [00527] MONUMENT NAME: [GAAB 77]

BOOK-PAGE: [662- 22] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/20/87]
 SP Z COORD: [89.89] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T 0N, R 0W, SN SEC 0] GRIDS: [1728]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

[The original published elevation for this Bench Mark was incorrect.]

DESCRIPTION:

[Beginning at the intersection of McRae Road and Caroline Drive; thence
 [easterly 183 feet along McRae Road; thence northerly 90.5 feet to the
 [south wall of the Spenard Fire Station. Monument is 36 feet west of the
 [southeast corner. Monument is set vertically in a pilaster between two
 [overhead doors.

MONUMENT ID: [00533] MONUMENT NAME: [GAAB 89]

BOOK-PAGE: [661- 11] SURVEYOR: [GAAB]
 SP X COORD: [] LS NUMBER: []
 SP Y COORD: [] RECVY DATE: [7/28/87]
 SP Z COORD: [93.40] MAINT DATE: [/ /]
 DATUM: [1972 ADJUSTMENT] MONUMENT COND: [GOOD]
 TOWNSHIP: [T 0N, R 0W, SN SEC 0] GRIDS: [1729]
 STATUS CODE: [V] (C,G,V) TYPE CODE: [12] 2-1/2" Brass cap
 SUBDIVISION: [] CORNER: []
 S.I. LOCATE: [] LEGAL: []
 DIG X COORD: [0] PHOTO CODE: [N] DATE FLOWN: [/ /]
 DIG Y COORD: [0] PROJ. NAME: []
 GPS CODE: [N] INERTIAL CODE: [N] 0 ORDER, 0 CLASS

COMMENTS OR MARKINGS:

DESCRIPTION:

[Beginning at the intersection of Minnesota Drive and Spenard Road. Thence
 [south 142 feet along Minnesota Drive. Thence east 214 feet to the NE
 [corner of Center Bowl. A 149' x 200' building. The B.C. is set vertically
 [in the north face and 0.5 feet west of said NE corner. Use head of screw
 [for elevation.