



BIKE FRIENDLY

Biking to the bus is an economical and healthy way to enjoy being outside while getting where you need to go in a timely manner. Regardless of the weather outside, bikers are always welcome on People Mover buses.

Pick up a copy of our city bus map and discover parks and trails you can explore by bike with the help of People Mover.



People Mover

Rideline (907) 343-6543
peoplemover@muni.org
peoplemover.org



Bus Tracker



USING BIKE RACKS



MOVE WITH YOUR BIKE



5.13

HOW TO USE PEOPLE MOVER'S BIKE RACKS

- All buses can accommodate three bikes and are available on a first come, first serve basis.
- Non-standard bikes such as fat tire, recumbent, tandem or motorized will not fit in the rack and are not permitted inside the bus.
- You are responsible for securing your bike. People Mover is not responsible for lost or damaged bikes.

LOADING

- While waiting at the bus stop with your bike, stand near the sign as the bus approaches.
- Be ready with your bike when the bus arrives.
- Tell the bus driver that you will be using the bike rack.
- Remove packs, water bottles and accessories before loading your bike.
- Load your bike while others are boarding.
- Always approach the rack curbside, do not block traffic.
- If the rack is full, wait for the next bus, continue your ride or find a secure location to lock your bike.

UNLOADING

- Wait for the bus to come to a complete stop before retrieving your bike.
- Unload your bike and make eye contact with the bus operator as you do so.

BE READY TO RIDE IN FOUR SIMPLE STEPS



UNFOLD THE BIKE RACK

Locate the hand latch at the top of the rack. Hold your bike with one hand and grab the latch with the other. Squeeze the latch to release from the upright position. Fold the rack down to a horizontal position.



PLACE BIKE IN RACK

Lift the bike onto the rack. Place the front wheel in the tray labeled "front wheel." The support arm will secure the front tire. Load the bike in the vacant position closest to the bus.



SECURE THE BIKE

The support arm is spring-loaded. Press the button and pull it straight out and place over the front tire. The support arm should rest on the tire, not the fender or frame.



UNLOAD THE BIKE

Let the bus driver know you will be unloading a bike. Exit from the front door. Pull the support arm away from the wheel and lift your bike from the wheel tray. Return the rack to the upright position if you are the last to unload a bike.



For more information visit peplemover.org
Rideline (907) 343-6543