

**CHAPTER 23.65 LOCAL AMENDMENT TO THE 2006 INTERNATIONAL EXISTING BUILDING CODE**

**Sections**

23.65.100	Local amendments to the International Existing Building Code, 2006 edition .....	1
23.65.101.5.2	Work area compliance method.....	1
23.65.103-117	Delete sections .....	1
23.65.302.2	Structural.....	1
23.65.303.2.3.2	Alterations.....	1
23.65.305.4	Structural.....	2
23.65.307	Moved structures.....	2
23.65.606	Structural.....	2
23.65.704.2	Automatic sprinkler systems.....	2
23.65.705.4.4	Panic hardware.....	2
23.65.707	Structural.....	2
23.65.807	Structural.....	2
23.65.907	Structural.....	2
23.65.1003	Structural.....	2
23.65.1202.3	Wind loads .....	3
23.65.1202.4	Seismic loads .....	3
23.65.1202.5	Snow loads .....	3
23.65.1301.4.1	Structural analysis.....	3
23.65	Appendix A .....	3

**23.65.100 Local amendments to the International Existing Building Code, 2006 edition**

The amendments to the 2006 Edition of the International Existing Building Code are listed hereafter by section. The last digits of the number (after the title and chapter digits) are the sections of the International Existing Building Code to which the amendments refer.

**23.65.101.5.2 Work area compliance method**

Add the following to the end of the paragraph:

Where structural provisions have been deleted by amendment from chapters 6, 7, 8, 9, and 10, compliance shall be to the structural provisions of chapter 3.

**23.65.103-117 Delete sections**

Delete IEBC sections 103 through 117. Refer to the Anchorage Administrative Code

**23.65.302.2 Structural**

In the first paragraph, revise “5 percent” to read “10 percent”.

**23.65.303.2.3.2 Alterations**

Revise “5 percent” to read “10 percent”.

**23.65.305.4                    Structural**

Replace the first paragraph to read as follows:

When a change of occupancy results in a higher seismic occupancy factor based on Table 1604.5 of the *International Building Code*; or where such change of occupancy results in a reclassification of a building to a higher hazard category as shown in Table 912.4, the building shall conform to the seismic requirements of the *International Building Code* for the new seismic use group.

Add a new paragraph after the Exceptions to read as follows:

Buildings or portions thereof subject to a change of occupancy where such change in the nature of occupancy results in higher uniform or concentrated loads based on Tables 1607.1 and 1607.6 of the *International Building Code* shall comply with the gravity load provisions of the *International Building Code*.

**Exception:** Structural elements whose stress is not increased by more than 10 percent.

**23.65.307                    Moved structures**

Delete in its entirety.

**23.65.606                    Structural**

Delete in its entirety.

**23.65.704.2                    Automatic sprinkler systems**

Amend section 704.2.2 by deleting the reference to Group E occupancies.

Add the following subsection:

**23.65.704.2.2.2 Group E Occupancy:** When required by the International Fire Code, an automatic sprinkler system shall be installed throughout all buildings containing a group E occupancy.

**23.65.705.4.4                    Panic hardware**

Amend section 705.4.4 by changing the number 100 to 49.

**23.65.707                    Structural**

Delete in its entirety.

**23.65.807                    Structural**

Delete in its entirety.

**23.65.907                    Structural**

Delete in its entirety

**23.65.1003                    Structural**

Delete in its entirety

**23.65.1202.3**                    **Wind loads**

In Exception 2, revise “5 percent” to read “10 percent”.

**23.65.1202.4**                    **Seismic loads**

In Exception 2, revise “5 percent” to read “10 percent”.

**23.65.1202.5**                    **Snow loads**

In the Exception, revise “5 percent” to read “10 percent”.

**23.65.1301.4.1**                    **Structural analysis**

Add the following to the end of the sentence:

“or shall comply to the structural provisions of chapter 3.”

**23.65**                                **Appendix A**

Adopt Appendix A.