

CHAPTER 23.65 LOCAL AMENDMENT TO THE 2003 INTERNATIONAL EXISTING BUILDING CODE

Sections

3.65.100	Local Amendments to the International Existing Building Code, 2003 Edition
23.65.103-117	Delete Sections
23.65.507.3	Roof Diaphragm
23.65.604.2.0	Automatic Sprinkler Systems
23.65.604.2.2.2	Group E Occupancy
23.65.605.4.4	Panic Hardware
23.65	Appendix A

23.65.100 Local Amendments to the International Existing Building Code, 2003 Edition

The amendments to the 2003 Edition of the International Existing Building Code are listed hereafter by section. The last digits of the number (after the title and chapter digits) are the sections of the International Existing Building Code to which the amendments refer.

23.65.103-117 Delete Sections.

Delete IEBC sections 103 through 117; refer to the Anchorage Administrative Code.

23.65.507.3 Roof Diaphragm.

Add the following sentence:

Evaluations of insufficiency shall be based on the code under which the structures were built.

23.65.604.2.0 Automatic Sprinkler Systems.

Amend section 604.2 by adding the sentence “Wherever this code requires a work area to be sprinklered, the entire floor shall be sprinklered or the sprinkler area shall be separated from the non-sprinklered area by a one-hour fire-resistance-rated construction.

23.65.604.2.2.2 Group E Occupancy.

Add the following new section:

604.2.2.2 An approved automatic fire extinguishing system shall be installed in an E occupancy in accordance with the fire code whenever alterations or additions are made to an existing structure containing an E occupancy.

23.65.605.4.4 Panic Hardware.

Amend section 605.4.4 by changing the number 100 to 49.

23.65 Appendix A.

Adopt Appendix A.