

Submitted by: Chair of the Assembly at
the Request of the Mayor
Prepared by: Department of Community
Planning and Development
For reading: March 2, 1999

CLERK'S OFFICE

APPROVED

Date: 3-23-99

Anchorage, Alaska
AO 99-51

AN ORDINANCE AMENDING THE HILLSIDE WASTEWATER MANAGEMENT PLAN, ANCHORAGE MUNICIPAL CODE 21.05.030M., TO REMOVE FROM THE AREA RECOMMENDED FOR PUBLIC SEWERAGE AT MINIMUM DENSITIES OF THREE (3) DWELLING UNITS PER ACRE THE WESTERN TWELVE (12) ACRES OF TRACT A-1, VILLAGES SUBDIVISION, AS NOTED ON PLAT S-10334 AS LOTS 1 AND 2, VILLAGES ESTATES SUBDIVISION, GENERALLY LOCATED AT THE SOUTHERN END OF THE HILLSIDE AREA, SOUTH OF POTTER CREEK.

THE ANCHORAGE ASSEMBLY ORDAINS:

Section 1. The Hillside Wastewater Management Plan, Anchorage Municipal Code Section 21.05.030M., is hereby amended to remove from the area recommended for public sewerage at minimum densities of three (3) dwelling units per acre the western twelve (12) acres of Tract A-1, Villages Subdivision, as noted on Plat S-10334 as Lots 1 and 2, Villages Estates Subdivision, generally located at the southern end of the Hillside area, south of Potter Creek.

Section 2. This ordinance shall become effective immediately upon passage and approval by the Anchorage Assembly.

PASSED AND APPROVED by the Anchorage Assembly this 23rd day of March, 1999.


Chair

ATTEST:


Municipal Clerk