

CLERK'S OFFICE

APPROVED

Date: 3-7-00

Submitted by: Chairman of the Assembly
at the Request of the Mayor

Prepared by: Department of Public Works

For reading: FEBRUARY 15, 2000

ANCHORAGE, ALASKA
AO NO. 2000- 50

AN ORDINANCE AMENDING TITLE 23, SECTION 23.25.315.0 OF THE ANCHORAGE MUNICIPAL CODE AND PROVIDING FOR A CHANGE IN THE USE OF THE SIZE OF BACKFILL MATERIALS FOR PLUMBING BEDDING AND BACKFILL OF CAST IRON DRAIN, WASTE AND VENT PIPING.

THE ANCHORAGE ASSEMBLY ORDAINS

Section 1. That Anchorage Municipal Code Title 23, Section 23.25.315.0 is hereby amended to read as follows:


23.25.315.0 Trenching, Excavation, and Backfill

Amend Section 315.0, paragraph 315.4 by adding after the third sentence the following two sentences:

Backfill material shall be 3/8" pea gravel or smaller. In the case of cast iron drain, waste and vent piping, the backfill material shall be 1/4" gravel and earth or smaller.

Section 2. That this ordinance shall become effective immediately upon its passage and approval by the Assembly.

PASSED AND APPROVED by the Anchorage Assembly this 7th day of March, 2000.


Chair of the Assembly

ATTEST:


Municipal Clerk