

CLERK'S OFFICE

APPROVED

Date: 3-20-01

Submitted by: Chairman of the Assembly  
at the Request of the Mayor  
Prepared by: Development Services  
Department

For reading: FEBRUARY 27, 2001

ANCHORAGE, ALASKA  
AO NO. 2001- 54

AN ORDINANCE AMENDING TITLE 23, SECTION 23.25.1210.0 OF THE ANCHORAGE MUNICIPAL CODE AND PROVIDING FOR THE USE OF APPROVED CORRUGATED STAINLESS STEEL TUBING WITHIN BUILDINGS.

THE ANCHORAGE ASSEMBLY ORDAINS

**Section 1.** That Anchorage Municipal Code Title 23, Section 23.25.1210.0 is hereby amended to read as follows:

23.25.1210.0 Materials - Gas Piping

Amend paragraph 1210.1 by deleting the last sentence and substituting the following:

Approved Type L soft copper, medium or high density PE pipe or tubing may be used in exterior buried piping systems and shall be buried at least 18 inches deep (457mm). Approved and listed corrugated stainless steel tubing system may be used in interior and exterior piping systems. Such tubing shall be installed in accordance with its listing.

**Section 2.** That this ordinance shall become effective immediately upon its passage and approval by the Assembly.

PASSED AND APPROVED by the Anchorage Assembly this 20<sup>th</sup> day of March, 2001

Fay Von Henniger  
Chair of the Assembly

ATTEST:

Leyne Ferguson  
Municipal Clerk