

CLERK'S OFFICE
APPROVED

Date: 12-17-02

Submitted by: Chair of the Assembly
Prepared by: Department of Law
For reading: October 29, 2002

ANCHORAGE, ALASKA
AO NO. 2002-151

1 AN ORDINANCE CONTINUING OR REESTABLISHING THE ON-SITE WASTEWATER
2 SYSTEM TECHNICAL REVIEW BOARD PURSUANT TO ANCHORAGE MUNICIPAL CODE
3 SECTION 4.05.150.

4
5
6 THE ANCHORAGE ASSEMBLY ORDAINS:

7
8 **Section 1.** Pursuant to Anchorage Municipal Code Section 4.05.150, the On-site Wastewater
9 System Technical Review Board shall be and is hereby continued and reestablished as set forth in
10 Anchorage Municipal Code section 4.40.150 for an additional period of three (3) years from and
11 after December 31, 2002. During the period of time from and after December 31, 2002 until the
12 effective date of this ordinance, all actions of the On-site Wastewater System Technical Review
13 Board, all appointments thereto and all unexpired terms of its members shall continue to be and
14 constitute the actions of, appointments to and the unexpired terms of its members, as the case may
15 be, as if it had not been terminated by operation of law.


16
17 **Section 2.** Nothing in this ordinance shall be taken as or constitute any approval, ratification,
18 implementation of, or ruling or action by the Anchorage Municipal Assembly on any action of the
19 On-site Wastewater System Technical Review Board.

20
21 **Section 3.** This ordinance shall take effect immediately upon passage and approval by the Assembly.

22
23 PASSED AND APPROVED by the Anchorage Assembly this 17th day of December, 2002.

24
25
26
27 
Chair of the Assembly

28 ATTEST:

29
30 
31 Municipal Clerk
32

MUNICIPALITY OF ANCHORAGE

ASSEMBLY MEMORANDUM

No. AM 881-2002

Meeting Date: October 29, 2002

From: Chair of the Assembly


**Subject: AO 2002-151; Continuing/Reestablishing the On-site Wastewater System
Technical Review Board.**

As directed by AMC 1.05.110 the Municipal Clerk has notified the Assembly by AM 855-2002 of the forthcoming expiration of the On-site Wastewater System Technical Review Board during the current calendar year under the general sunset provision of AMC 4.05.150. Among those listed was the referenced body and whose existence is scheduled to expire December 31, 2002. AMC section 4.05.150 requires a public hearing at which the board or commission must demonstrate a public need for its continued existence. The Assembly may continue, reestablish or permit the board or commission to terminate.

The purpose of the referenced ordinance is to fulfill compliance with the sunset provisions of Title 4 and to provide an opportunity to the Assembly to continue, reestablish or discontinue the referenced body.

Respectfully submitted:

Prepared by:


Dick Traini
Chair of the Assembly

William A. Greene
Municipal Attorney

G:\MAT\Dennis\Assembly mayor docs\Onsite wastewater systems AO & AM.doc



Home



Library



Search

Go



Municipality of Anchorage



Information Technology Department

[Back](#) | [Home](#) | [Library](#) | [Search](#) | [Help](#)

User Profile

[Portal Design](#)[Subscriptions for cabanh](#)[Workflow In Queue for cabanh](#)**Content Manager****New Check In** [Checked Out Content](#)[Content Checked Out By User](#)[Work In Progress](#)[Active Workflows](#)**Work Flow History Report**

A02 002-151

Workflow History

Workflow Name	Action Date	Action	User	Security Group	Content ID	Revis
Legal_SubWorkflow	9/25/02 6:02 PM	Approve	wheelerda	Public	000264	0
Dev_Svs_SubWorkflow	9/26/02 11:01 AM	Approve	murdyjw	Public	000264	0
HHS_SubWorkflow	9/26/02 11:56 AM	Approve	jonesjl	Public	000264	0
OMB_SubWorkflow	10/2/02 10:50 AM	Approve	frascaci	Public	000264	0
MuniManager_SubWorkflow	10/2/02 11:33 AM	Approve	poseyjm	Public	000264	0
MuniMgrCoord_SubWorkflow	10/2/02 2:18 PM	Approve	bealejl	Public	000264	0

INTRODUCTION2002 OCT -2 PM 2:43
CLERK OFFICE