

Platform Lift & Stairway Chairlift Test Form (A18.1-2017)

Building Name:	Device Designation #:	MOA Tag #:
Firm performing tests:	Equipment Manufacturer:	Serial #:
Type of Equipment:	Capacity (rated load):	Rated speed:

Platform Lift & Stairway Chairlift – 1 Year Tests

Name of Person Performing Tests						
Requirement #	Test Description	Date (m/d/y) - Yr 1:	Date (m/d/y) - Yr. 2:	Date (m/d/y) - Yr. 3:	Date (m/d/y) - Yr. 4:	Date (m/d/y) - Yr. 5
10.3.1.1	Cylinders	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present
10.3.1.2	Safeties	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present
10.3.1.3	Governor	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present
10.3.1.4	Slack-Rope Device (Winding Drum)	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present
10.3.1.5	Normal & Final Terminal Stopping Devices	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present
10.3.1.6	Broken Rope, tape or Chain Switch	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present
10.3.1.7	Slack-Rope / Chain Device (Roped/Chained Hydraulic Machine)	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present	OK - N/A - Deficiency Present

Platform Lift & Stairway Chairlift – 3 Year Test

Requirement #	Test Description	Results	Date (m/d/y):
10.3.2.1	Unexposed Portion of Piston(s)	OK - N/A - Deficiency Present	

Platform Lift & Stairway Chairlift – 5 Year Tests

Requirement #	Test Description	Results	Date (m/d/y):
10.3.3.1	Platform Safeties	OK - N/A - Deficiency Present	
10.3.3.2.1	Governor Tripping Speeds	OK - N/A - Deficiency Present Governor trips at: _____ fpm / Overspeed switch trips at: _____ fpm	
10.3.3.2.2	Governor Rope Pull-Through	OK - N/A - Deficiency Present Pull-Through force: _____ lbf	
10.3.3.2.3	Governor – Metal Test Tag Attached	OK - N/A - Deficiency Present	
10.3.3.3	Brake	OK - N/A - Deficiency Present	
10.3.3.4	Ropes / Chains	OK - N/A - Deficiency Present	
10.3.3.4	Coated Ropes Magnetic Flux Test	OK - N/A - Deficiency Present	
10.3.3.5	Rope / Chain Fastenings	OK - N/A - Deficiency Present	

* ASME A18.1 Safety Standard for Platform Lifts and Stairway Chairlifts and MOA Local Amendment 23.76.10.1.2 require periodic tests of Platform Lift equipment, to be performed and recorded by authorized personnel. The equipment owner is responsible for ensuring that all tests are completed within the time lines established by these requirements, and that the test log is kept attached to the lower end of the lift tower (if VPL) on the fascia, or adjacent to the lower end of the lift on the wall (if IPL). The test form must remain as a permanent part of the lift history, not to be removed from the building even if the lift maintenance company changes. The owner may keep prior test forms in a central location within the building if desired (folder, three ring binder, etc.). A separate test log is required for each lift. Authorized Personnel – please fill out specific data when indicated. Where specific data is not asked for, mark results by circling OK, N/A or Deficiency Present, and make corrections as needed. Fill out date (m/d/y) in the appropriate spaces