2019 MS4 Summary For ARDSA

Costs Incurred:

					Force Account			
							GBA Costs	
				Contracted	Labor	Equipment	/ Mt'l Costs	Total
Sweeping	Spring	3/15/2019	6/1/2019	\$57,300	\$541,284	\$196,865		\$795,450
	Summer	6/15/2019	8/1/2019		\$74,057	\$25,470		\$99,527
	Fall	9/1/2019	10/15/2019	\$140,088	\$45,374	\$14,452		\$199,915
Sweepings Hauling Disposal			\$41,000	\$2,000	\$1,600		\$44,600	
AWWU water of							\$31,617	\$31,617
	Total Street	Sweeping		\$238,388	\$662,716	\$238,388	\$31,617	\$1,171,108
	,							
Storm Drainage/				¢400.007	¢00.007	¢0.040		COCC
Control Structure System Maintenance			\$126,987	\$99,837	\$8,919		\$235,744	
OGS Maintena	nce				\$117,876	\$8,906		\$126,783
	lice				φ117,070	φ0,900		φ120,705
Winter Sand us	sed	10000 Ton			\$159,400	\$30,635	\$127,520	\$317,555
Sand On hand		10000 Ton			φ100,400	φ00,000	ψ121,020	φ017,000
Salt used		200 Ton					\$55,682	\$55,682
Salt on hand		200 Ton						+,
Sand Storage I	-acility							
(Utility Costs)							\$1,975	\$1,975
Magnesium Ch	llc used	21043					\$58,000	\$58,000
On hand		28000						
Lucity - Asset N								
Labor costs for Mapping						\$25,000	\$25,000	
Storm Water Pollution Prevention Plans						• · • • • · · ·	• • • • • • • •	
& Inspections (Maintenance Projects)						\$120,341	\$120,341	
							07 445	007 445
Facility SWPPP and Inspections						\$67,115	\$67,115	
Total				\$365,375	\$1,039,829	\$286,849	\$487,250	\$2,179,303
iulai				ψυυυ,υτυ	ψ1,009,029	ψ200,049	ψ 4 07,200	ψΖ, 179,303

Materials Quantity

Sweeping Quantities	CuYds
Spring Residential	1911
Spring Arterial/Collector	1382
Summer Arterial/Collector	35
Fall Residential	700
Fall Arterial/Collector	52

Catch Basin Quantity	525
OGS Quantity	336

Part 2.0: Storm Water Management Program (SWMP) Requirements

Pg. 10, 2.2. General Requirements, 2.2.1 - 2.2.4.

It is the opinion of the Maintenance and Operations Department, Street Maintenance Division, (SM) that Anchorage (ARDSA) has met the requirements of this section. Working in concert with WMS and other co-permitee(s) to meet these requirements.

Part 3.0: Minimum Control Measures

Pg. 14, 3.0: Minimum Control Measures, 3.1: Construction Site Runoff Control Program

ARDSA, SM activities have met the requirements of this section for all Street Maintenance projects within the service area (ARDSA). All construction SWPPP's are current, or closed, at the time of this report.

Pg. 19, 3.2:Storm Water Management Areas of New Development and Redevelopment

ARDSA, SM continues to support WMS in the implementation of this section and the subsections.

<u>Pg. 23, 3.2.5: Operation and Maintenance (O & M) of Permanent Storm Water Management</u> <u>Controls, 3.2.5.1: Inventory and Tracking</u>

ARDSA, SM continues to develop and maintain a computer maintenance management system (CMMS). This system includes geographical Information system (GIS) information that will be directly related to the maintenance of these assets. The database is continually updated as new assets are acquired.

Pg. 23, 3.2.6: Inspection and Enforcement of Permanent Storm Water Management

ARDSA SM continues to work closely with Private Development, Planning and (WMS) to attain the requirements of this Section.

Pg. 24, 3.2.7: Education and Training on Permanent Storm Water Controls

Training is viewed as an ongoing effort within our organization. ARDSA SM will continue to train staff on SOP's and Best Management Practices within the organization.

Pg. 24, 3.3: Industrial and Commercial Storm Water Discharge Management

ARDSA SM continues to work directly with the administrator (WMS) of the current permit to meet the requirements of this Section.

<u>Pg. 26, 3.4: Storm Water Infrastructure and Street Management,</u> <u>3.4.1: Storm Sewer System Inventory and Mapping</u>

SM, in coordination with WMS, continues to meet the requirements of this Section, and will update the CMMS on a timely, as needed, basis when new assets are introduced.

Pg. 26, 3.4.2: Catch Basin and Inlet Cleaning

ARDSA SM successfully completed these permit requirements. All 272 OGS units were inspected and cleaned. All 9770 control structures were inspected and those that required cleaning, were cleaned. ARDSA SM and the contractor cleaned 3252 CB & CBMH, out of the total inventory of 9770 units..

SM has implemented procedures to collect fill rate data by making adjustments to cleaning activities. Maintenance schedules will be adjusted further after analysis of data collected. SOP's are being developed for treatment and disposal of catch basin and OGS waste.

Pg. 27, 3.4.5: Street and Road Sweeping

In coordination with WMS, SM has met these requirements, by developing a qualitative and quantitative, "visually clean standard" as outlined in the Sweeping Management Plan.

Pg. 29, 3.4.7: Develop and Implement Storm Water Pollution Prevention Plans

SM is currently contracted with Professional and Technical Services, Inc. (PTS) to write, inspect, and maintain the SWPPP's for all SM operated facilities and maintenance projects. SM maintains the BMP's at all facilities.

Pg. 29, 3.4.8: Training

Training has been conducted for Sweeping Practices/Protocol, project BMP's, SOP's and Spill Prevention/Response. This training will continue to meet the permits intent. SM currently has 14 trained/certified Alaska Certified Erosion & Sediment Control Leads (AK-CESCL)on staff. 48 other SM employees have also received formal AK-CESCL (non-certified) "awareness" training. Street Maintenance has coordinated with our SWPPP contractor, Professional Technical Services (PTS), to train all staff on construction specific and facility SWPPP requirements. SM will continue this effort in the years to follow.

Pg. 32, 3.5.6: Prevent and respond to Spills to the MS4

SM had no spills to the MS4. SM continues to train employees on spill prevention and response. had no spills to the MS4.